ANNUAL INDEX

Volume 15 1980

Authors

ABDEL-MOETY, E.M., and W.O. Lundberg, Autoxidation of methyl esters of cyclopentenyl fatty

acids, 298
ABUIRMEILEH, N.M., and C.E. Elson, The influence
of linoleic acid intake on electron transport system components, 925

components, 925
and C.E. Elson, The influence of linoleic acid intake
on membrane-bound respiratory activities, 918
ADLOF, R.O. See E.A. Emken
AKESSON, B. Effect of different fatty acids on triacylglycerol secretion in isolated rat hepatocytes,

677
AKINO, T. See M. Nakamura
ALBERS, J.J. See J.J. Hoover
ALBRINK, M.J., R.M. Krauss, F.T. Lindgren, J. von
der Groeben, S. Pan and P.D. Wood, Intercorrelations among plasma high density lipoprotein,
obesity and triglycerides in a normal population,

obesity and trigrycerides in a normal population, 668
ANDREONE, T.L. See H.F. Mohamed
ARINGER, L., Oxidation of 3-oxygenated Δ4- and Δ5-C₂, steroids by soybean lipoxygenase, 563
ARNESON, R.M., and J.D. Wander, Antioxidants in neoplastic cells: III. An antioxidant artifact in tissue culture media, 203
ASAKAWA, T., and S. Matsushita, A. colorimetric microdetermination of peroxide values utilizing aluminum chloride as the catalyst, 965
and S. Matsushita, Coloring conditions of thiobarbituric acid test for detecting lipid hydroperoxides, 137
ATTREP, K.A., W.P. Bellman, Sr., M. Attrep, Jr., J.B. Lee and W.E. Braselton, Jr., Separation and identification of prostaglandin A₁ in onion, 292
ATTREP, M., Jr. See K.A. Attrep

BAKER, N. See R. Kannan
BALOUTCH, G. See J. F. Bellenand
BARONE, E. See A. Poulos
BAUDET, M.F., O. Esteva, B. Delplanque, N. Winchenne and B. Jacotot, Effects of three dietary
fats on plasma lipids and lipoproteins in fasting and
postprandial humans after a short-term diet, 216
BEAR, W.D. See D.S. Deshmukh
BEAVER, K.M. See J.C. Touchstone
BECKMAN, J.K., and J.G. Coniglio, The metabolism
of polyunsaturated fatty acids in rat Sertoli and
germinal cells. 389

of polyunsaturated fatty acids in rat Sertoli and germinal cells, 389
BELBY, J.P., Fatty acid and sterol composition of ungerminated spores of the vesicular-arbuscular mycornizal fungus, Acaulospora laevis, 949
and D.K. Kidby, Sterol composition of ungerminated spores of the vesicular-arbuscular mycornizal fungus, Glomus caledonius, 375
BELL, F.P., and E.V. Hubert, Lecithin-cholesterol acyltransferase: Inhibition by local anesthetics in plasma from man and experimental animals in vitro. 811

vitro, 811

BELLENAND, J.F., G. Baloutch, N. Ong and J. Lecerf, Effects of coconut oil on heart lipids and

Lecert, Effects of coconut oil on heart lipids and on fatty acid utilization in rapessed oil, 938
BELLMAN, W.P., Sr. See K.A. Attrep
BEN-GERA, I. See J. Kanner
BENZIONI, A. See A. Yaron
BERGELIN, R.O. See J.J. Hoover
BERLIN, E., E.J. Matusik, Jr., and C. Young, Jr.,
Effect of dietary fat on the fluidity of platelet

Effect of dietary fat on the fluidity of platelet membranes, 604
BERMAN, S. See J. Kanner
BERRY, S.K., Cyclopropene fatty acids in some Malaysian edible seeds and nuts: I. Durian (Durio zibethinus, Murr.), 452
BIERI, J.G., T.J. Tolliver, W.G. Robinson, Jr., and T. Kuwabara, Lipofuscin in vitamin E deficiency and the possible role of retinol, 10
BISHOP, D.G., and J.R. Kenrick, Fatty acid composition of symbiotic zooxanthellae in relation to their hosts. 799

shift of symbol 2003 and lease in relation to their hosts, 799
BISHOP, H.H., and K.P. Strickland, Comparisons of monoacylglycerols and diacylglycerols of varying fatty acid composition as substrates for the acyl-

monoacyigiyeerois and diacyigiyeerois or varying fatty acid composition as substrates for the acylgiyeerol kinase(s) of rat brain, 285
BITMAN, J. See D.L. Wood
BLACK, H.S., Analysis and physiologic significance of cholesterol epoxide in animal tissues, 705
BOJESEN, I.N., The influence of urea on lipogenesis in renal papillae of rats, 519
BORST, D.W., Hormonal regulation of medium chain fatty acid synthesis by mouse mammary gland explants, 913
BOTTEMA, C.K., and L.W. Parks, Sterol analysis of the inner and outer membranes in yeast, 987
BOTTINO, P.J. See P.L. Chiu
BRANDORFF, N.P., The effect of dietary fat on the fatty acid composition of lipids secreted in rats' milk, 276
BRASELTON, W.E., Jr. See K.A. Attrep
BRENNER, T., and E. Shafrir, Lipoprotein lipid and plasmapheresis: II. Perfused rat liver, 637
BRENNER, R.R. See I.N.T. de Gomez Dumm

BRENNER, R.R. See I.N.T. de Gomez Dumm See A.M. Nervi See R.J. Pollero

BROCKERHOFF, H. See D.S. Deshmukh
BROOKS, C.J.W., W.J. Cole, H.B. McIntyre and A.G.
Smith, Selective reactions in the analysis and
characterization of steroids by gas chromatography-mass spectrometry, 745

CALANDRA, S. See E. Gherardi
CANARY, J.J. See E.A. Emken
CANIONI, P., R. Julien, J. Rathelot and L. Sarda,
Interaction of porcine pancreatic colipase with a
nonionic detergent, Triton X-100: Spectropho-

tometric studies, 6
CARDEMIL, E. See A.M. Jabalquinto
CARREAU, J.-P., D. Frommel, T.T. Nguyen and

P. Mazliak, Hepatic Δ9 and Δ6 desaturase activities during the recovery period following carbon tetrachloride poisoning, 631
CARROLL, K.K. See D.J. Freeman CARTER, W.J. See F.H. Faas
CASSIDY, M.M. See G.V. Vahouny
CATAPANO, A.L. See S.H. Gianturco
CHAKRABARTI, P. See D.N. Chakravarti and P. Chakrabarti, Studies on phospholipase activities in Neurospora crassa mycelia, 830
CHAKRAVARTI, B. See D.N. Chakravarti
CHAUHAN, M.S., and K. Dakshinamurti, Synthesis of α-hydroxy stearyl coenzyme A, 479
CHEN, J.C. See J.C. Touchstone
CHILD, P. See A. Kuksis
CHIU, P.L., P.J. Bottino and G.W. Patterson, Sterol composition of nystatin and amphotericin B resistant tobacco calluses, 50
CHOU, J.S. See J. Mai
CHU-F.-L.E., and J.L. Dupuy, The fatty acid composition of three unicellular algal species used as food sources for larvae of the American cyster (Crassostrea virginical), 356
CLARK, R.M., A.M. Ferris, N. Fey, K.E. Hundreiser and R.G. Jensen, The identity of the cholesteryl esters in human milk, 972
See R.G. Jensen

esters in human milk, 972

esters in human milk, 972
See R.G. Jensen
COHEN, B.I. See M. Takahashi
COLE, W.J. See C.J.W. Brooks
COLTON, S.W. VI. See D.T. Downing
CONIGLIO, J.G. See J.K. Beckman
COK, L.J. See R.L. Hood
CORNATZER, W.E. See D.R. Hoffman
CRAWFORD, C.G., R.D. Plattner, D.J. Sessa and
J.J. Rackis, Separation of oxidized and unoxidized
molecular species of phosphatidylcholine by high
pressure liquid chromatography, 91
CRAWFORD, M.A. See A.W.M. Hay

D

DAKSHINAMURTI, K. See M.S. Chauhan
DAS, S.K., and M.S. McCullough, Gangliosides of
bovine optic nerve, 932
DATO, V. See C. Litchfield
DAVIDSON, B. See H. Staack
DAVIES, R.E. See M.K. Logani
de ALANIZ, J.J.T. See I.N.T. de Gomez Dumm
De BARI, V.A. See J.C. Krasopoulos
de GOMEZ DUMM, I.N.T., J.J.T. de Alaniz and R.R.
Brenner, Effect of epinephrine and dibutyryl cyclic
AMP on \(\Delta \) 5 desaturation activity of rat liver
microsomes, 1064
DELPLANQUE, B. See M.F. Baudet
DESHUKH, D.S., S. Kuizon, W.D. Bear and H. Brockerhoff, Distribution of phosphoinositides among
subfractions of rat brain myelin, 14
DHOPESHWARKAR, G.A. See C.E. Moore
DIMENNA, G.P., and R.S. Emery, Factors affecting
fatty acid oxidation in bovine mammary tissue,
497 DJERASSI, C. See Z. Harel

DJERASSI, C. See Z. Harel
DOWNING, D.T., and S.W. Colton VI, Skin surface
lipids of the horse, 323
See J.S. Lindholm
DRYER, R.L. See H.F. Mohamed
DUAX, W.L., J.F. Griffin, D.C. Rohrer and C.M.
Weeks, Conformational analysis of sterols: Comparison of X-ray crystallographic observations with
data from other sources, 783
DUFEK, E.J. See E.N. Frankel
DUPONT, J. Cholesterol absorption, 133
DUPUY, J.L. See F.-L.E. Chu
DUPUY, H.P. See A.J. St. Angelo
DUTKY, S.R. See S.-I. Teshima
See M.J. Thompson
DUTTON, H.J. See E.A. Emken

ЛΙ

ELLIOTT, W.H., Identification of sterols and bile

acids by computerized gas chromatography-mass spectrometry, 764 ee R. Shaw

See R. Shaw
ELOYSON, J. See R. Kannan
ELSON, C.E. See N.M. Abuirmeileh
EMERY, R.S. See G.P. Dimenna
EMKEN, E.A., H.J. Dutton, W.K. Rohwedder, H.
Rakoff, R.O. Adlof, R.M. Gulley and J.J. Canary,
Distribution of deuterium-labeled cis- and trans-12octadecenoic acids in human plasma and lipopro-

octadecenoic acids in human plasma and lipoprotein lipids, 864
ERDMAN, J.W., Jr. See L.W. Solomon
ESTEVA, O. See M.F. Baudet
ETHERTON, T.D., and P.M. Kris-Etherton, Characterization of plasma lipoproteins in swine with different propensities for obesity, 823
EVANS, R.W., M.A. Willisms and J. Tinoco, Surface viscosities of phospholipids alone and with cholesterol in monolayers at the air-water interface,

FAAS, F.H., and W.J. Carter, Altered fatty acid desaturation and microsomal fatty acid composi-tion in the streptozotocin diabetic rat, 953 FATEMI, S.H., and E.G. Hammond, Analysis of oleate, linoleate and linolenate hydroperoxides

oleate, linoleate and linolenate hydroperoxides in oxidized ester mixtures, 379
FENG, P. See B.A. Vick
FERRIS, A.M. See R.M. Clark
See R.G. Jensen
FEY, N. See R.M. Clark
FLESS, G. See T. Kirchhausen
FRANKEL, E.N., E.J. Dufek and W.E. Neff, Analysis
of autoxidized fats by gas chromatography-mass
spectrometry: VI. Methyl 9,15- and 12,15-octadecadienoate, 661
Cae W.F. Neff

See W.E. Neff FRANSON, R.C. See K. Owens FREEMAN, D.J., C.A. Rupar and K.K. Carroll, Analysis of dolichol in human tissues by high

Analysis of dolichol in human tissues by high pressure liquid chromatography, 191
FROMMEL, D. See J.-P. Carreau
FUJII, Y. See A. Yamamoto
FUKUDA, E. See N. Iritani
FUNK, M.O., B. Levison and M.B. Keller, The preparation and characterization of the methoxy derivatives of polyunsaturated fatty acids: Stabilized product analogs of lipoxygenase catalysis, 1051

G

GALAMBOS, T. See F.M. Yatsu GALLO, L.L. See G.V. Vahouny GALTON, D.J. See J. Stocks

GALTON, D.J. See J. Stocks
GANGL, A., W. Kornauth, J. Miczoch, O. Sulm and
B. Klose, Different metabolism of saturated and
unsaturated long chain plasma free fatty acids by
intestinal mucosa of rats, 75
GAYOSO, A.M. See R.J. Pollero
GEELHOED-MIERAS, T. See H. Stam
GERCKEN, G. See H. Herrmann
GERSHON, H. See R. Wood
GHASSEMIEH, M.B. See M.L. Swift
GHERARDI, E., and S. Calandra, Experimental
nephrotic syndrome induced in the rat by puromycin amin-nucleoside: Hepatic synthesis of

nephrotic syndrome induced in the rat by puro-mycin amin-nucleoside: Hepatic synthesis of neutral lipids and phospholipids from ³H water and ³H palmitate, 108 M. Messori, R. Rozzi and S. Calandra, Experimental nephrotic syndrome in the rat induced by puro-mycin aminonucleoside: Hepatic synthesis of

mycin aminonucleoside: Hepatic synthesis of lipoproteins and apolipoproteins, 858
GIANTURCO, S.H., C.J. Packard, J. Shepherd, L.C. Smith, A.L. Catapano, H.D. Sybers and A.M. Gotto, Jr., Abnormal suppression of 3-hydroxy-3-methylglutaryl-CoA reductase activity in cultured human fibroblasts by hypertriglyceridemic very low density lipoprotein subclasses, 456
GLUECK, C.J. See R.L. Jackson
GODKE P. A. See DW. HWANG

GODKE, R.A. See D.W. HWANG

GOH, E.H., Relationships between cholesterogenesis, microsomal sterols and HMG-CoA reductase in the

perfused rat liver, 624

GOHEEN, S.C., E.C. Larkin, M. Manix and G.A. Rao,
Dietary arachidonic acid reduces fatty liver,
increases diet consumption and weight gain in ethanol-fed rats, 328

See G.A. Rao
GONG, E.L., and A.V. Nichols, Interaction of human
plasma high density lipoprotein HDL, with synthetic saturated phosphatidylcholines, 86
GONZALEZ-ROS, J.M., and A. Ribera, Molecular
species composition of phosphatidylcholines during the development of the avian brain, 279

ing the development of the avian brain, 279 GOTTO, A.M., Jr. See S.H. Gianturco GRIFFIN, J.F. See W.L. Duax GULLEY, R.M. See E.A. Emken GUNSTONE, F.D. See M.R. Pollard GUPTA, M.N., and F. Wold. A convenient spectrophotometric assay for phospholipase D using p-nitrophenylphosphocholine as substrate, 594 GUSTAFSSON, J., Biosynthesis of cholic acid from 3-α, 7-α, 12-α, trihydroxy and 3-α, 7-α, 12-α, 24-tetrahydroxy-5-β-cholestanic acids, 113

HAGEMENAS, F.C., F.M. Yatsu and L.C. Manaugh, The effect of oral contraceptives on mononuclear cell cholesteryl ester hydrolyase activity, 39

cell cholesteryl ester nydrolyase activity, 37
See F.M. Yatsu
HALLIDAY, D. See R.A. Klein
HAMMOND, E.G. See S.H. Fatemi
HAREL, Z., and C. Djerassi, Dinosterol in model
membranes: Fluorescence polarization studies, 694
HARRIS, R.A. See R.S. Ochs
HARTIALA, J., J. Viikari, E. Hietanen, H. Toivonen
and P. Uotila, Cigarette smoke affects lipolytic
activity in isolated rat lungs, 539 activity in isolated rat lungs, 539

HASS, M.A., and W.J. Longmore, Regulation of lung surfactant cholesterol metabolism by serum

ling surfactant cholesterol metadolism by serum lipoproteins, 401
HASSAM, A.G. See A.W.M. Hay
HAY, A.W.M., A.G. Hassam, M.A. Crawford, P.A. Stevens, E.B. Mawer and F. Sutherland Jones, Essential fatty acid restriction inhibits vitamin Debyto George F. Wooden and St. Control of World Control of

HAYES, K.C. See E.K. Wong

See R.J. Nicolosi
HAYS, E.F. See E.R. Wong
See R.J. Nicolosi
HAYS, E.F. See S. Kitada
HAZZARD, W.R. See J.J. Hoover
HENNIG, B., T.M. Sutherland, M.M. Mathias and
B.A. Smith, Effect of diet composition and fasting
on lipogenesis in lean and polygenic obese mice, 908

HERD, J.A. See E.K. Wong HERRMANN, H., and G. Gercken, Incorporation of [1-14 C] octadecanol into the lipids of *Leishmania* donovani, 179

donovani, 179

HEVIA, P., and W.J. Visek, Liver and serum lipids and lipoproteins of rats fed 3% L-lysine, 95

HETANEN, E. See J. Hartiala

HIRONO, H., Lipids of myelin, white matter and gray matter in a case of generalized deficiency of cytochrome b, reductase in congenital methemoglobinemia with mental retardation, 272

HOFFMAN, D.R., E.O. Uthus and W.E. Cornatzer, Effect of diet on choline phosphotransferase, phosphatidylethanolamine methyltransferase and phosphatidyldimethylethanolamine methyltransferase methyltransferase methyltransferase methyltransferase methyltransferase.

phosphatidylethanolamine methyltransterase and phosphatidyldimethylethanolamine methyltransferase in liver microsomes 439
HOLLANDER, D. and D. Morgan, Effect of plant sterols, fatty acids and lecithin on cholesterol absorption in vivo in the rat, 395
HOLLOWAY, C.T., and R.N. Margolis, Dynamic lipid changes in rapidly proliferating hepatic smooth endoplasmic reticulum during acute decomplasmic reticulum during acuted decomplasmic properties of adrenalectomics. dexamethasone treatment of adrenalectomized rats, 1037

HOLMAN, R.T. See M.M. Mahfouz HOOD, R.L., L.J. Cook, S.C. Mills and T.W. Scott, Effect of feeding protected lipids on fatty acid synthesis in ovine tissues, 644

HOOVER, J.J., C.E. Walden, R.O. Bergelin, P.W. Wahl, J.J. Albers, W.R. Hazzard and R.H. Knopp, Cholesterol and triglyceride distributions in an adult employee population: The Pacific Northwest Bell Telephone company health survey, 895

Hell Telephone company health survey, 895
HOSHITA, T. See A. Kibe
HUBERT, E.V. See F.P. Bell
HUDSON, C.A. See L.S. Tsai
HULSMANN, W.C. See H. Stam
HUNDREISER, K.E. See R.M. Clark
HUNDRE, D.W., R.A. Godke and R.W. Rings, Species
variation in serum levels of prostaglandins and their precursor acids, 597

IDLER, D.R. See M.W. Khalil IIDA, T., T.M. Jeong, T. Tamura and T. Matsumoto, Identification of chondrillasterol in two Cucurbitaceae seed oils by proton nuclear magnetic reso-

aceae seed oils by proton nuclear magnetic resonance spectroscopy, 66

IJICHI, K. See L.S. Tsai
INGEROWSKI, G. See M. Scheutwinkel-Reich
IRITANI, N., E. Fukuda and Y. Kitamura, Effect of oxidized oil on lipogenic enzymes, 371

ITABASHI, Y., and T. Takagi, Gas chromatographic separations of di- and monoacylglycerols based on the degree of unsaturation and positional placement of acyl groups, 205

ITOH, T., S. Sakurai, T. Tamura and T. Matsumoto, Occurrence of 24(E)-ethylidene sterols in two solanaceae seed oils and rice bran oil, 22

T. Uetsuki, T. Tamura and T. Matsumoto, Charac-

T. Uetsuki, T. Tamura and T. Matsumoto, Characterization of triterpene alcohols of seed oils from

some species of theaceae, phytolaccaceae and sapotaceae, 407

Tamura, T.M. Jeong, T. Tamura and T. Matsumoto, 10-α-Cucurbita-5,24-dien-3-β-ol from gourd seed oil, 122

tee M. Tanaka See M. Tanaka

JABALQUINTO, A.M., and E. Cardemil, Secondary regulatory sites in rat liver cholesterol biosyn-thesis: Role of 5-pyrophosphomevalonate decarboxylase, 196

JACKSON, R.L., C.J. Glueck, S.N. Mathur and A.A. Spector, Effects of diet and high density lipoprotein subfractions on the removal of cellular chol-

tein subfractions on the removal of centural choresterol, 230

JACOTOT, B. See M. F. Baudet

JAMES, A.T. See M. R. Pollard

JEONG, T.M. See T. Iida

See T. Itoh

JENSEN, R.G., R.M. Clark and A.M. Ferris, Composition of the lipids in human milk: A review, 345

Cap P. M. Clark

sition of the lipids in numan See R.M. Clark See D.A. Sampson JONES, F.S. See A.W.M. Hay JOHNSON, D.W. See A. Poulos JOHNSON, S. See M.M. Mahfouz JOHNSTON, J.M. See T. Okazaki JULIEN, R. See P. Canioni

KANEKO, H. See M. Tanaka KANNAN, R., D.B. Learn, N. Baker and J. Elovson, Fatty acid synthesis in vivo and hepatic contri-

Fatty acid synthesis in vivo and hepatic contribution to whole-body lipogenic rates in obese Zucker rats, 993
KANNER, J., I. Ben-Gera and S. Berman, Nitric-oxide myoglobin as an inhibitor of lipid oxidation, 944
KAPLANIS, J.N. See M.J. Thompson
KARLE, J., Determination of molecular formula and stereoconfiguration of unique steroids by X-ray diffraction analysis, 793
KEENAN, T.W. See S. Patton
KELLER, M.B. See M.O. Funk

KELLY, J.J. See S. Patton
KENRICK, J.R. See D.G. Bishop
KHALIL, M.W., D.R. Idler and G.W. Patterson, Sterols
of scallop: III. Characterization of some C-24
epimeric sterols by high resolution (220 MHz)
nuclear magnetic resonance spectroscopy, 69
KIBE, A., C. Wake, T. Kuramoto and T. Hoshita,
Effect of dietary taurine on bile acid metabolism
in Guinea pigs, 224
KIDBY, D.K. See J.P. Beilby
KILPATRICK, R.L. See G.A. Rao
KIM, K.-H. See G.R. Krakower
KINSELLA, J.E. See J. Mai
See K. Tanaka
See P. Yu
KIRCHHAUSEN, T., G. Fless and A.M. Scanu, The

KIRCHHAUSEN, T., G. Fless and A.M. Scanu, The structure of plasma low density lipoproteins:

Experimental facts and interpretations—a mini-

structure of plasma low density lipoproteins:
Experimental facts and interpretations—a minireview, 464
KITADA, S., E.F. Hays and J.F. Mead, A lipid mobilizing factor in serum of tumor-bearing mice, 168
KITAMURA, Y. See N. Iritani
KLEIN, R.A., D. Halliday and P.G. Pittet, The use of
13-methyltetradecanoic acid as an indicator of
adipose tissue turnover, 572
KLOSE, B. See A. Gangl
KNOPP, R.H. See J.J. Hoover
KORNAUTH, W. See A. Gangl
KORNBRUST, D.J., and R.D. Mavis, Relative susceptibility of microsomes from lung, heart, liver,
kidney, brain and testes to lipid peroxidation:
Correlation with vitamin E content, 315
KRAIN, H. See I. Richter
KRAKOWER, G.R., and K.-H. Kim, Heat activation of
rat epididymal fat tissue acetyl CoA carboxylase
is due to dephosphorylation by its endogenous
phosphatase, 1067
KRAMER, J.K.G., Comparative studies on composition of cardiac phospholipids in rats fed different
vegetable oils, 651
KRASOPOULOS, J.C., V.A. De Bari and M.A. Needle,
The adsorytion of bile salts on activated carbon,
365

365
KRAUSS, R.M. See M.J. Albrink
KRIS-ETHERTON, P.M. See T.D. Etherton
KRITCHEVSKY, D. See G.V. Vahouny
KUIZON, S. See D.S. Deshmukh
KUKSIS, A., and P. Child, Analysis and structure
determination of unsaturated 5β-cholanoic acids,

770
KURAMOTO, T. See A. Kibe
KURAMOTO, T. See A. Kibe
KURATA, N., and O.S. Privett, Effect of dietary fatty
acid composition on the biosynthesis of unsaturated fatty acids in rat liver microsomes, 512
and O.S. Privett, Effects of dietary trans acids on the
biosynthesis of arachidonic acid in rat liver microsomes, 1029
KUWABARA, T. See J.G. Bieri

LACKO, A.G., Letter to the editor: A test for the biochemical efficiency of isotopic cholesterol, 983
LAGARDE, M. See E. Vericel
LARKIN, E.C. See G.A. Rao
See S.C. Goheen
LEARN, D.B. See R. Kannan
LECERF, J. See J.F. Bellenand
LEE, J. See S.C. Hellenand
LEE, J. See R. Wood
LEGENDRE, M.G. See A.J. St. Angelo
LEHMANN, J. Analysis of α-tocopherol in red blood cells by gas liquid chromatography, 135
LEIKEN, A.I. See A.M. Nervi
LEVIN, S.S. See J.C. Touchstone
LEVISON, B. See M.O. Funk
LEVIT, R.E. See J.C. Touchstone
LEW, D.W. See M.V. Srikantaiah
LIN, Y.Y., Identification of steroids by chemical ionization mass spectrometry, 756
LINDGREN, F.T. See M.J. Albrink
LINDHOLM, J.S., and D.T. Downing, Occurrence of squalene in skin surface lipids of the otter, the

beaver and the kinkajou, 1062
LITCHFIELD, C., J. Tyszkiewicz and V. Dato, 5,9,23Triacontatrienoic acid, principal fatty acid of the
marine sponge Chondrilla nucula, 200
LITWILLER, R.D. See V.R. Mattox
LOGANI, M.K., and R.E. Davies, Lipid oxidation:
Biologic effects and antioxidants—A review, 485
LONG, C.A., S. Patton and R.D. McCartiny, Origins
of the cholesterol in milk, 853
LONGMORE, W.J. See M.A. Hass
LOW, P.A. See E.K. Wong
LUNDBERG, W.O. See E.M. Abdel-Moety
LYNCH, R.D., Utilization of polyunsaturated fatty
acids by human diploid cells aging in vitro, 412

MAI, J., J.E. Kinsella and J.S. Chou, Phthalic ester, an artifactual contaminant in diazomethane prepared from N-methyl-N-nitroso-p-toluenesulfonamide for the derivatization of prostaglandins, 968 See P. Yu

968
See P. Yu
MAGET-DANA, R., and J.C. Michalski, Horse erythrocyte gangliosides: Preparation of the major hematoside NeuNG1-Lac-Cer, 682
MAHFOUZ, M., and R.T. Holman, Desaturation of isomeric cis 18:1 acids, 63
S. Johnson and R.T. Holman, The effect of isomeric trans-18:1 acids on the desaturation of palmitic, linoleic and eicosa-8,11,14-trienoic acids by rat liver microsomes, 100
MANAUGH, L.C. See F.C. Hagemenas
See F.M. Yatsu
MANIX, M. See G.A. Rao
See S.C. Goheen
MARGOLIS, R.N. See C.T. Holloway
MASUZAWA, Y. See T. Sugiura
MATHIAS, M.M. See B. Hennig
MATHUR, S.M. See R.L. Jackson
MATOCHA, M., and R. Wood, Changes in host animal plasma lipids during hepatoma growth, 421
MATSUMOTO, T. See T. Ilda

MATSUMOTO, T. See T. lida ee T. Itoh

MATSUMOTO, T. See T. Iida
See T. Itoh
MATSUSHITA, S. See T. Asakawa
MATTOX, V.R., and R.D. Litwiller, Influence of lecithin on the chromatography of steroidal glucosiduronates in chloroform-formamide, 999
MATUSIK, E.J., Jr. See E. Berlin
MAVIS, R.D. See D.J. Kornbrust
MAWER, E.B. See A.W.M. Hay
MAZLIAK, P. See J.-P. Carreau
McCARTHY, R.D. See C.A. Long
McCULLOUGH, M.S. See S.K. Das
McINNES, A.G., J.A. Walter and J.L.C. Wright,
Biosynthesis of hydrocarbons by algae: Decarboxylation of stearic acid to N-heptadecane in
Anacystis nidulans determined by '3C and '3H-labeling and '3C nuclear magnetic resonance, 609
McINTYRE, H.B. See C.J.W. Brooks
MEAD, J.F. See S. Kitada
MEEHAN, J.J. See L.S. Tsai
MERCURI, O., et al., Erratum, 278
MESSORI, M. See E. Gherardi
MICHALSKI, J.C. See R. Maget-Dana
MILLS, S.C. See R.L. Hood
MITSUDA, H. See A. Yamamoto
MLCZOCH, J. See A. Gangl
MOHAMED, H.F., T.L. Andreone and R.L. Dryer,
Mitochondrial metabolism of (D,L)-threo-9,10dibromo palmitic acid, 255
MOORE. C.E. and G.A. Dhopeshwarkar, Placental

MOHAMED, H.F., T.L. Andreone and R.L. Dryer, Mitochondrial metabolism of (D,L)-threo-9,10-dibromo palmitic acid, 255
MOORE, C.E., and G.A. Dhopeshwarkar, Placental transport of trans fatty acids in the rat, 1023
MORE, I. See A. Yaron
MORGAN, D. See D. Hollander
MORGAN, E.D. See C.F. Poole
MORIN, R.J. See M.W. Srikantaiah
MORRIS, L.J. See M.R. Pollard

NAKAMURA, M., T. Onodera and T. Akino, Charac-

teristics of phospholipids in human lung carci-

teristics of phospholipids in human lung carci-noma, 616
NALBANDYAN, R.M. See G.G. Poghossian
NEEDLE, M.A. See J.C. Krasopoulos
NEFF, W.E., and E.N. Frankel, Quantitative analysis
of hydroxystearate isomers from hydroperoxides
by high pressure liquid chromatography of autoxidized and photosensitized-oxidized fatty esters, 587

587
See E.N. Frankel
NERVI, A.M., R.O. Peluffo, R.R. Brenner and A.I.
Leiken, Effect of ethanol administration on fatty
acid desaturation, 263
NGUYEN, T.T. See J.-P. Carreau
NICHOLS, A.V. See E.L. Gong
NICOLOSI, R.J., and K.C. Hayes, Composition of
plasma and nascent very low density lipoprotein
from perfused livers of hypercholesterolemic
squirrel monkeys, 549
See E.K. Wong

Squirrei monkeys, 349
See E.K. Wong
NIELSEN, J.R., A simple chromatographic method
for purification of egg lecithin, 481
NOBLE, R.C., and J.H. Shand, A single-step method
for determination of the specific radioactivity of lipids, 269

OCHS, R.S., and R.A. Harris, Glucagon and N⁶, O²'dibutyryl adenosine 3':5'-monophosphate inhibition of lipogenesis and phosphofructokinase
activity of hepatocytes from meal-fed rats, 504
OKAZAKI, T., and J.M. Johnston, Distribution of the
phosphatidate phosphohydrolase activity in the
lamellar body and lysosomal fractions of lung

tissue, 447

ONG, N. See J. F. Bellenand ONODERA, T. See M. Nakamura OULEVEY, J., and O.W. Thiele, Letter to the editor: A note on the spectrophotometric determination of long chain bases in lipids, 194

OWENS, K., D.C. Pang, R.C. Franson and W.B. Weg-licki, Lipids of myocardial membranes: Suscepti-bility of a fraction enriched in sarcolemma to hydrolysis by an exogenous mammalian phospho-lipase A₂, 534

PACKARD, C.J.See S.H. Gianturco
PAN, S. See M.J. Albrink
PANG, D.C. See K. Owens
PARKER, R.S., D.P. Selivonchick and R.O. Sinnhuber, Turnover of label from [1-14°C]linolenic
acid in phospholipids of Coho salmon, Oncorhynchus kisutch, 80
PARKS, L.W. See C.K. Bottema
PATTERSON, G.W. See S.-I. Teshima
See M.J. Thompson
See P.L. Chiu
See M.W. Khalil
PATTON, S., J.J. Kelly and T.W. Keenan, Carotene
in bovine milk fat globules: Observations on origin
and high content in tissue mitochondria, 33
See C.A. Long

and high content in tissue mitochondria, 33
Sec C.A. Long
PELUFFO, R.O. See A.M. Nervi
PITAS, R.E. See D.A. Sampson
PITTET, P.G. See R.A. Klein
PLATTNER, R.D. See C.G. Crawford
POGHOSSIAN, G.G., and R.M. Nalbandyan, The
removal of peroxides from phosphatidylcholine
preparations, 591
POLLARD, M.R., F.D. Gunstone, A.T. James and L.J.
Morris, Desaturation of positional and geometric
isomers of monoenoic fatty acids by microsomal
preparations from rat liver, 306
F.D. Gunstone, L.J. Morris and A.T. James, the
A-5 and A-6 desaturation of fatty acids of varying
chain length by rat liver: A preliminary report,

chain length by rat liver: A preliminary report, 690

POLLERO, R.J., R.R. Brenner and A.M. Gayoso, Composition and biosynthesis of fatty acids in

Pyramimonas grossii, 559
POOLE, C.F., A. Zlatkis, W.-F. Sye, S. Singhawangcha and E.D. Morgan, The determination of steroids with and without natural electrophores by gas chromatography and electron-capture detection, 734

734
PORTER, N.A., R.A. Wolf and H. Weenen, The free radical oxidation of polyunsaturated lecithins, 163
POULOS, A., E. Barone and D.W. Johnson, Partial synthesis of [1-14C] phytanic acid, 19
PRIVETT, O.S. See H. Shimasaki
See N. Kurata
See M. Sano
PRYOR, W.A. See M.J. Thomas

RACKIS, J.J. See C.G. Crawford RAICHT, R.F. See M. Takahashi RAKOFF, H. See E.A. Emken RAO, G.A., M. Manix and E.C. Larkin, Reduction of essential fatty acid deficiency in rats fed a low iron

essential fatty acid deficiency in rats fed a low iron fat free diet, 55
R.L. Kilpatrick, S.C. Goheen and E.C. Larkin, Preparation of radiolabeled tetracosa mono- and dienoic acid methyl esters from rat erythrocyte lipids by thin layer chromatography, 686
See S.C. Goheen

See S.C. Goheen
RATHELOT, J. See P. Canioni
RIBERA, A. See J.M. Gonzalez-Ros
RICHTER, I., and H. Krain, Cuticular lipid constituents of cabbage seedpod weevils and host plant
oviposition sites as potential pheromones, 580
RINGS, R.W. See D.W. Hwang
ROBINSON, W.G., Jr. See J.G. Bieri
ROHRER, D.C. See W.L. Duax
ROHWEDDER, W.K. See E.A. Emken
ROSENTHAL, M.D. Selectivity in incorporation,
utilization and retention of oleic and linoleic
acids by human skin fibroplasts 838

acids by human skin fibroblasts, 838

ROZZI, R. See E. Gherardi RUPAR, C.A. See D.J. Freeman

SAKURAI, S. See T. Itoh SAMPSON, D.A., R.E. Pitas and R.G. Jensen, Effect of chronic ingestion of DDT on physiological and biochemical aspects of essential fatty acid defi-

biochemical aspects of essential fatty acid defi-ciency, 815

SANO, M., and O.S. Privett, Effects of an essential fatty acid deficiency on serum lipoproteins in the rat, 337

SARDA, L. See P. Canioni
SARWAL, A.N. See M. Takahashi
SCANU, A.M. See T. Kirchhausen
SCHEUTWINKEL-REICH, M., G. Ingerowski and
H.-J. Stan, Microbiological studies investigating mutagenicity of deep frying fat fractions and some of their components, 849

See H.-J. Stan

of their components, 849
See H.-J. Stan
SCHULZ, H. See H. Staack
SCOTT, T.W. See R. L. Hood
SELIVONCHICK, D.P. See R.S. Parker
SESSA, D.J. See C.G. Crawford
SHAFRIR, E. See T. Brenner
SHAND, J.H. See R.C. Noble
SHAW, R., and W.H. Elliott, Bile acids: LXI. Synthesis and properties of conjugates of 5-α bile acids, 805
SHENOLIKAR, I., Fatty acid profile of myocardial lipid in populations consuming different dietary fats, 980
SHEPHERD, J. See S.H. Gianturco
SHIMASAKI, H., N. Ueta and O.S. Privett, Isolation and analysis of age-related fluorescent substances in rat testes, 236

anto analysis of agerteated industrial in rat testes, 236 SINGHASANGCHA, S. See C. F. Poole SINNHUBER, R.O. See R.S. Parker SMITH, A.G. See C.J.W. Brooks SMITH, B.A. See B. Hennig SMITH, L.C. See S.H. Gianturco

SOLOMON, L.W., and J.W. Erdman, Jr., Vitamin A induced hypertriglyceridemia in cholesterol-fed

induced hypertriglyceridemia in cholesterol-ted rats, 157
SOLOWAY, R.D. See J.C. Touchstone
SPECTOR, A.A. See R.L. Jackson
SRIKANTAIAH, M.V., D.W. Lew and R.J. Morin, Inhibition of rat hepatic sterol formation from squalene by plasma lipoproteins, 555
ST. ANGELO, A.J., M.G. Legendre and H.P. Dupuy, Identification of lipoxygenase-linoleate decomposition products by direct gas chromatographymass spectroscopy 45

sition products by direct gas chromatography-mass spectroscopy, 45
STAACK, H., B. Davidson and H. Schulz, Inhibition of mitochondrial fatty acid elongation by antibodies to 3-ketoacyl-CoA thiolase, 175
STAM, H., T. Geelhoed-Mieras and W.C. Hulsmann, Erucic acid-induced alteration of cardiac trigly-

SIAM, H., T. Geelhoed-Mieras and W.C. Hulsmann, Erucic acid-induced alteration of cardiac trigly-ceride hydrolysis, 242
STAN, H.J., and M. Scheutwinkel-Reich, Detection of hydroxy fatt ccids in biological samples using capillary gas chr. atography in combination with positive and negative chemical ionization mass spectrometry, 1044
See M. Scheutwinkel-Reich
STEVENS, P.A. See A.W.M. Hay
STOCKS, J., and D.J. Galton, Activation of phospholipase A, activity of lipoprotein lipase by apoprotein-Cil, 186
STRICKLAND, K.P. See H.H. Bishop
SUGIURA, T., Y. Masuzawa and K. Waku, Alkenyl and alkyl ether phospholipids in pig mesenteric lymph node lymphocytes, 475
SULM, O. See A. Gangl
SUTHERLAND, T.M. See B. Hennig
SVOBODA, J.A. See M.J. Thompson
SWIFT, M.L., D. White and M.B. Ghassemieh, Distribution of neutral lipids in the tissues of the oyster Crassostrea virginica, 129

Crassostrea virginica, 129
SYBERS, H.D. See S.H. Gianturco
SYE, W.-F. See C.F. Poole

TAKAGI, T. See Y. Itabashi
TAKAHASHI, M., A.N. Sarwal, R.F. Raicht and
B.I. Cohen, Effect of colestipol on sterol metabolism in the rat, 43-4
TAMURA, T. See T. Iida
See T. Itoh
TANAKA, K. and J.E. Kinsella, Microsomal phosphatidic acid phosphohydrolase of rat mammary
tissue: I. General properties, 26
TANAKA, M., T. Itoh and H. Kaneko, Quantitative
determination of isomeric glycerides, free fatty
acids and triglycerides by thin layer chromatography-flame ionization detector system, 872

acids and triglycerides by thin layer chromatog-raphy-flame ionization detector system, 872 TESHIMA, S.-I., G.W. Patterson and S.R. Dutky, Sterols of the oyster, Crassostrea virginica, 1004 HIELE, O.W. See J. Oulevey THOMAS, M.J., and W.A. Pryor, Singlet oxygen oxidation of methyl linoleate: isolation and characterization of the NaBH₄-reduced products,

G.W. Patterson, S.R. Dutky, J.A. Svoboda and J.N. Kaplanis, Techniques for the isolation and identification of steroids in insects and algae, 719

fication of steroids in insects and algae, 719
TINOCO, J. See R.W. Evans
TOIVONEN, H. See J. Hartiala
TOLLIVER, T.J. See J.G. Bieri
TOMBES, R. See G.V. Vahouny
TOUCHSTONE, J.C., J.C. Chen and K.M. Beaver,
Improved separation of phospholipids in thin
layer chromatography, 61
R.E. Levitt, S.S. Levin and R.D. Soloway, Separation of conjugated bile acids by reverse phase thin
layer chromatography 386

layer chromatography, 386
TSAI, L.S., K. Ijichi, C.A. Hudson and J.J. Meehan,
A method for the quantitative estimation of

A method for the quantitative estimation of cholesterol \(\alpha\)-oxide in eggs, 124

TULLOCH, A.P., Cutin Acids: Synthesis and mass spectrometry of methyl 16-hydroxy-7-oxo-, 16-hydroxy-8-oxo-, 16-hydroxy-9-oxo, 16-hydroxy-10-oxo and 7,16-, 8,16-, 9,16- and 10,16-dihy-

droxyhexadecanoates, 881 TULPULE, P.G. See A. Vajreswari TYSZKIEWICZ, J. See C. Litchfield

UEBEL, E.C. See J.D. Warthen, Jr. UETA, N. See H. Shimasaki UETSUKI, T. See T. Itoh UOTILA, P. See J. Hartiala UOTILA, P. See J. Hartiala UTHUS, E.O. See D.R. Hoffman

VAHOUNY, G.V., R. Tombes, M.M.Cassidy, D. Kritchevsky and L.L. Gallo, Dietary fibers: V. Binding of bile salts, phospholipids and cholesterol from mixed micelles by bile acid sequestrants and

dietary fibers, 1002
VAJRESWARI, A., and P.G. Tulpule, Activity of myocardial lipase using natural edible oils as

substrates, 962
VERICEL, E., and M. Lagarde, 15-Hydroxyeicosate-traenoic acid inhibits human platelet aggregation,

472
VESTERGAARD, P., The analysis of urinary hormonal steroids, 710
VICK, B.A., P. Feng and D.C. Zimmerman, Formation of 12-1 of 0 love-cis-10,cis-15-phytodienoic acid from 13-1 of 0 lhydroperoxylinolenic acid by hydroperoxylinolenic acid by hydrop

WAHL, P.W. See J.J. Hoover
WAKE, C. See A. Kibe
WAKU, K. See T. Sugiura
WALDEN, C.E. See J.J. Hoover
WALTER, J.A. See A.G. McInnes
WANDER, J.D. See R.M. Arneson
WARTHEN, J.D., Jr., and E.C. Uebel, Major unsaturated cuticular hydrocarbons of the field crickets,
Gryllus pennsylvanicus and Nemobius fasciatus,
601

601

601
WEENEN, H. See N.A. Porter
WEGLICKI, W.B. See K. Owens
WEEKS, C.M. See W.L. Duax
WHITE, D. See M.L. Swift
WILLIAMS, M.A. See R.W. Evans
WINCHENNE, N. See M.F. Baudet
WOLD, F. See M.N. Gupta
WOLF, R.A. See N.A. Porter
WONG, E.K., R.J. Nicolosi, P.A. Low, J.A. Herd and
K.C. Hayes, Lecithin influence on hyperlipemia
in Rhesus monkeys. 428

K.C. Hayes, Lecithin influence on hyperlipemia in Rhesus monkeys, 428
 WOOD, D.L., and J. Bitman, The effect of feeding di-92-ethylhexyl) phthalate (DEHP) on the lipid metabolism of laying hens, 151
 WOOD, P.D. See M.J. Albrink
 WOOD, R., and T. Lee, Occurrence of unusual fatty acids in hepatoma lipids, 876
 T. Lee and H. Gershon, Effect of methyl-2-hexadecynoate on hepatic fatty acid metabolism, 141

See M. Matocha WRIGHT, J.L.C. See A.G. McInnes

YAMAMOTO, A., Y. Fujii, K. Yasamoto and H. Mitsuda, Product specificity of rice germ lipoxygenase, I. YARON, A., A. Benzioni and I. More, Absorption and distribution of jojoba wax injected subcutane-

ously into mice, 889 YASUMOTO, K. See A. Yamamoto

МΙ

YATSU, F.M., F.C. Hagemenas, L.C. Manaugh and T. Galambos, Cholesteryl ester hydrolase activity in human symptomatic atherosclerosis, 1019

in numan symptomatic atneroscierosis, 1019
See F.C. Hagemenas
YEH, Y.-Y., Partition of ketone bodies into cholesterol and fatty acids in vivo in different brain regions of developing rats, 904
YOUNG, C., Jr. See E. Berlin
YU, P., J. Mai and J.E. Kinsella, the effects of dietary

9-trans, 12-trans-octadecadienoate on composition and fatty acids of rat lungs, 975

ZANETTA, J.-P., F. Vitiello and G. Vincendon, Gangliosides from rat cerebellum: Demonstration of considerable heterogeneity using a new solvent for thin layer chromatography, 1055
ZAK, B., Cholesterol methodology for human studies, 698

ZIMMERMAN, D.C. See B.A. Vick ZLATKIS, A. See C.F. Poole

Subjects

ABSORPTION, calcium, inhibition by essential fatty acid restriction, 251. cholesterol, determination of, validity of methods,

133.

Acaulospora laevis. See fungi.
ACETATE, derivations of mono- and diacylcerols, separation by GLC, 205.

incorporation in cholesterol, decanoic acid, goat mammary gland, 853. incorporation, ovine tissues, in vivo, in vitro, 644.

oxidation in mammary tissue, 497.

[1-14C] ACETATE, incorporation into lung cholesterol,

401 ACETYL COA CARBOXYLASE, epididymus, rat,

ACETYL CoA CARBOXYLASE, epididymus, rat, heat, activation, 1067.

ACETYLENIC FATTY ACID, effect on hepatic lipid metabolism, 141.

ACETOACETATE, incorporation, cholesterol, fatty acids, developing rat brain, 904.

Acropora divaricata. See zooxanthellae.

Acropora hyercinthus, See zooxanthellae.

Acropora millarous, See zooxanthellae.

Acropora millepora. See zooxanthellae.

Acropora nasuta. See zooxanthellae. ACYLATION, synthesis, keto, hydroxy fatty acids, 881. ACYLGLYCEROL KINASES, distribution in rat

brain, 285.
ADENINE NUCLEOTIDE TRANSLOCASE, rat liver

mitochondria, dietary fat, 918. ADENOCARCINOMA. See carcinoma. ADIPOSE TISSUE, brown, hampsto

brown, hampster, isolation of

mitochondria, 255.
[1-14C]linoleic acid labeled, implantation, mice,

168. fatty acid mobilization, effect of serum mobilizing factor, 168

factor, 108.

lean, obese Zucker rats, fatty acid biosynthesis, 993.
sheep, lipogenesis, protected dietary fat, 644.
ADRENALECTOMY, rat, endoplasmic reticulum,
lipids, membrane fluidity, glucocorticoids, 1087.

AGE, plasma cholesterol, triglycerides, 895. ALBUMIN, synthesis, perfused rat liver, experimental

ALBUMIN, synthesis, perfused rat liver, experimental nephrosis, 637.

ALCOHOLS, long chain, analysis, gas liquid chromatography, 179.

ALDEHYDES, cuticular lipids of weevil and rape, 580.

ALFALFA, bile salt, phospholipid, cholesterol binding, 1012.

1012.
ALGAE, decarboxylation, stearic acid, algae, 609. fatty acid composition, 356. hydrocarbon biosynthesis, 609. marine, fatty acid synthesis and composition, 559. steroid profile, 719.
ALKADIESE, cricket cuticle, 601.

ALKENES, cricket cuticle, 601.
ALKENYL LIPIDS, Leishmania donovani, incorporation [1-14C] octadecanol, 179.
ALKOXY-2, 3-DIACYLGLYCEROLS, Leishmania

donovani, time course, octadecanol incorporation,

ALKYL LIPIDS, Leishmania donovani, incorporation [1-14C] octadecanol, 179.

AMINO ACIDS, incorporation into lipoproteins, rat

liver, 858.

inver, 358.
incorporation, proteins, lipoproteins, perfused rat liver, experimental nephrosis, 637.
AMNIOTIC FLUID, human, phospholipids, separation, one-dimensional TLC, 61.
Amphidinium cartesae. See dinoflagellates.
AMPHOTERICIN B, isolation of resistant tobacco cell lines 63.

lines, 50.

Anacystis nidulans. See algae.
ANCHOVY OIL, Japanese, grignard degradation, GLC analysis of acetates of monoacylglycerols, 205.
ANESTHETICS, local, inhibition, plasma, LCAT

activity, 811.
ANTIBODIES, 3-ketoacyl-CoA thiolase, mitochondrial fatty acid elongation, 175.
ANTIOXIDANT, artifact in media of neoplastic

and lipid oxidation (review), 485.

APOLIPOPROTEIN A-I, redistribution, incubation HDL2 and phosphatidylcholine, 86.

APOLIPOPROTEINS, hepatic synthesis, puromycin and approximation of the property syndrome, 858.

aminonucleoside-induced nephrotic syndrome, 858. synthesis, perfused rat liver, experimental nephrosis. 637.

APOPROTEIN C, isolation from very low density lipoproteins, 186.

APOPROTEIN C-II, activation of phospholipase A,

APOPROTEIN.

octivity of lipoprotein lipase, 186.

OPROTEIN, VLDL, C-I, C-II, C-III, E, effect on lipoprotein lipase activity, 186. VLDL, LDL, HDL concentration,

dietary butter, olive and canbra oil, 216.

ARACHIDONATE, dietary effects in rat, 328.

[1-14C] ARACHIDONATE, metabolism in rat testis,

ARACHIDONIC ACID, dietary, and ethanol inges-

tion, 328. human plasma lipids, dietary trans acids, 864. and platelet aggregation, 472. and rat serum HDL, 337.

synthesis, rat liver microsomes, dietary trans acids, 1029

ARACHIS OIL, dietary, effect on fatty acid composi-tion, rat milk, 276.

ARGININE, dietary, effect of lipid composition, rat liver and lipoproteins, 95.
ASCITES, induction in rat with puromycin amino-

ASCITES, Incurrent and Incurre

ATHEROSCLEROSIS, cholesteryl ester acid hydro-lase, mononucleocytes, 1019. and serum cholesterol epoxide, 705.

ATP-ASE, rat liver mitod AUTOFLUORESCENCE, rat liver mitochondria, dietary fat, 918 JORESCENCE, uterus, rat, vitamin I deficiency, 10. AUTOXIDATION, cyclopentenyl fatty acids, 298.

ipids, biological effects, 485.

phosphatidylcholine, analysis of products, 163.
isolation products, HPLC, 91.

AY9944, inhibition, cholesterogenesis, perfused rat liver, 625.

B

BACTERIA, fatty acids, heptafluorobutyrates, cap-illary GC-MS, 1044.
BASES, long chain, spectrophotometric determina-tion, free amino group required, 194.
BEAVER, squalene in skin surface lipids, 1062.
BENZOCAINE. See anesthetics, local.

BILE ACIDS, chemical ionization, MS, 756.

onjugated, separation, 386. conjugated, 5a., synthesis, TLC, HPLC, GLC, IR, PMR, physical properties, 805. metabolism, guinea pig, effect of dietary taurine,

in rat, effect of colestipol, 434.

TMS, GC-MS-computerized, 764.

BILE SALTS, adsorption by activated charcoal, 365.
content guinea pig gall bladder, small intestine, large intestine, pool size, effect of dietary taurine, 225.

mixed micelles, binding, dietary fibers, cholestyramine, Sephadex, 1012.
BILIRUBIN, interference, serum cholesterol assay,

BINDING PROTEIN, FFA, role in intestinal esteri-

fication, 75. BORONATE ESTERS, steroids, GC-MS, 745.

BORONIC ACIDS, aromatic, halogenated, steroids,

GLC, electron capture detection, 734.
BRAIN, avian embryo phosphatidylcholine, 279.
developing rat, ketone body incorporation, cholesterol, fatty acids, 904.

terol, fatty acids, 904, fetal rat, incorporation of trans fatty acids, 1023. human, white matter, lipids, mental retardation, congenital methemoglobinemia, 272. lipid peroxidation and vitamin E, 315. mouse, uptake of 14C-jojoba wax, -triolein, 889. rat, gangliosides, TLC, heterogenicity, 1055. lysophosphatidic acid formation, 285. myelin, isolation of subfractions, 15. myelin, lipid extraction, 15. myelin, phosphoinositide distribution in subfractions, 15.

BRAIN STEM, developing rat brain, ketone bodies, cholesterol, fatty acids, 904.
BRAN, wheat, bile salt, phospholipid, cholesterol binding, 1012.

binding, 1012.

Brassicanipus, L. See rapeseed.

t-BUFLO PHEMESYL ethers, steroids, GLC, electroncapture detection, 734.

BUTTER, dietary, effect on fatty acids of blood lipids and lipoproteins, 216.

dietary, effect serum concentration and composi-tion of VLDL, LDL, and HDL, 216. Butyrospermum parkii. See shea butter.

CAECUM, guinea pig, bile salt content, effect of dietary taurine, 225.
CALCIUM ADSORPTION, inhibition by essential fatty acid restriction, 251.

Camellia japonica. See camellia seed. CAMELLIA SEED, triterpene alcohols, 407.

CAMPESTEROL, content. control and polyeneresistant tobacco calluses, 50. CANCER, human lung, phospholipid molecular

species, 616. Capsicum annum, seed oil, identification, 24(E)eth-ylidene sterols, 22.

CARBOHYDRATES, rat brain gangliosides, GLC,

1055 CARBON DIOXIDE, respiratory, collection from

mice, 168.
CARBON NUMBER DISTRIBUTION, triacylglycerols, hepatoma and liver, acetylenic-acid-fed animals,

CARBON TETRACHOLORIDE POISONING, rat liver, fatty acyl CoA hydralase, 631.

rat liver, cytochrome c reductase, 631.
rat liver fatty acyl desaturase, Δ9, Δ6, 631.
rat liver, microsomal fatty acid profile, 631.
rat liver, NADH ferricyanide reductase, 631.
CARCASS FAT, mouse, uptake of [14C]jojoba wax,

-triolein, 889.
CARCINOGENESIS, cholesterol epoxide, 705.

and lipid oxidation, 485. CARCINOMA, human lung, lipid profile, fatty acid

CARCINOMA, numan lung, lipid profile, tarty acid profile, 616.
human lung, phospholipid molecular species, 616.
CARDIOLIPIN, human lung, carcinoma, 616.
rat heart, fatty acid profile, dietary fat, 651.
CARNITINE, 9, 10-dibromopalmitoyl, quantitation,

synthesis, (DL)-threo-9,10-dibromopalmitic acid,

CARNITINE PALMITOYLTRANSFERASE, palmitate oxidation in mammary tissue, 497.

CAROTENE, oxidation, colorimetric assay, oxidation, nitric oxide-myoglobin inhibition, 944 CAROTENOIDS, contents, cow mammary subfractions, 33.

content in milk, 33.
CELL CULTURE, human lung fibroblasts, 412.
CELLS, MONONUCLEAR, cholesterol content, effect of oral contraceptives, 39.

cholesteryl ester hydrolase activity, effect of oral contraceptives, 39.
CELLULOSE, bile salt, phospholipid, cholesterol

CELLULOSE, bile salt, phospholipid, cholesterol binding, 1012.
CEREBELLUM, developing rat brain, ketone bodies, cholesterol, fatty acids, 904. rat, gangliosides, TLC, heterogenicity, 1055.
CEREBROSIDES, content in brain myelin, white

CEREBROSIDES, content in brain myelin, white matter, gray matter, control and abnormal, 272. hydroxy fatty acid composition, human brain, 272. hydroxy fatty acid composition, myelin, gray and white matter, 272. CEREBRUM, developing rat brain, ketone bodies, cholesterol, fatty acids, 904. Ceutorrhynchus assimilis Payk, See weevil. CHAULMOOGRATE, autoxidation, 298. CHEMICAL IONIZATION, MS, steroids and bile acids, 756.

756

acids, 756.
CHENODEOXYCHOLATE, adsorption by activated

CHENODEOXYCHOLATE, adsorption by activated charcoal, 365.
CHENODEOXYCHOLIC ACID, content in guinea pig gall bladder, small intestine and large intestine; pool size, effect dietary taurine, 225.
metabolism in guinea pig, effect of dietary taurine,

CHICK, embryo brain phosphatidylcholine, 279. CHITIN SYNTHETASE, yeast mitochondrial membranes, 987.

branes, 987.

Chlorella sp. See algae.

trans 1,4-bis (2-CHLOROBENZYAMINOMETHYL)
CYCLOHEXANE dihydrochoride. See AY9944.
CHOLANOIC ACIDS. 5-a, unsaturated, preparation,
AgNO3-TLC, GC-MS, 770.
CHOLATE, adsorption by activated charcoal, 365.
CHOLESTANE, effect on cholesterol adsorption by

rat, 395. CHOLESTAN-3-β, OLESTAN-3- β , 5- α , 6- β -ticol, formation from cholesterol epoxide, 705.

24-tetrahydroxyl-5β, precursor cholic acid, rat liver, 113

113.
CHOLESTANOIC ACID, 3-a, 7-a, 12-a-trihydroxyl-5-β-, precursor cholic acid, rat liver, 113.
24-tetrahydroxyl-5β, biosynthesis, 113.
[7-β-3H]CHOLESTANOIC ACID, 3-a, 7-a, 12-a-trihydroxyl-5-β, synthesis, chemical, 113.
CHOLESTANOL, effect on cholesterol adsorption by

CHOLESTANOL, effect of careful and state and s

biosynthesis, nephrotic rat liver, 108. biosynthesis, perfused rat liver, AY-9944 inhibition,

biosynthesis, perfused rat liver, HMG CoA reductase,

SUBJECTS 1079

oil, 216.

plasma, mononucleocytes, atherosclerosis, 1019, rat lung, fatty acid profile, dietary trans acids, 975, serum level, effect of dietary butter, olive or canbra biosynthesis, regulation, rat liver, 196. content in brain myellin, white matter, gray matter, controls and abnormal, 272. content, control and hepatoma-host liver, effect of dietary methyl-2-hexadecynoate, 141. CHOLESTERYL ESTER HYDROLASE, assay, mono-CHOLESTERYL ESTER HYDROLASE, assay, mono-nuclear cells, effect of oral contraceptives, 39. CHOLESTIPOL, and sterol metabolism in rat, 434. CHOLESTYRAMINE, adsorption of bile salts, 365. bile salts, phospholipid, cholesterol binding, 1012. effect of activity of hepatic, 5-pyrophosphameval-onate decarboxylase, 196. effect on weight, rats and liver, 196. CHOLIC ACID, biosynthesis, rat liver, from tri-tertahydroxycholestanoic acid, 113. CHOLINE, dietary omission and phosphatidylcholine biosynthesis in rat, 439. control and polyene-resistant tobacco content, con calluses, 50, content, rat liver microsomes, effect of diet, ethanol, content VLDL, LDL, HDL effect of dietary fat, 216. esterification, plasma, LCAT, inhibition, anesthetics, in fungal spores, 375. in goat milk, from serum and mammary gland, 853.
[3H]; radiochemical purity, LCAT assay, 983.
hepatic level, effect of dietary vitamin A and cholesbiosynthesis in rat, 439.
CHOLINE PHOSPHOTRANSFERASE, assay in rat terol, rat, 157. liver microsomes, 439.

Chondrilla nucula, 5, 9, 23-triacontatrienoic acid, principal fatty acid, 200.

CHONDRILLASTEROL, identification in two Cucurhigh density lipoprotein level, effect of diet, 230. high density lipoprotein subfractions, effect of high density diet, 230. horse skin, 323 human milk, 345. 7-a-hydroxylase activity, guinea pig, effect of dietary 7-a-hydroxylase activity, guinea pig, effect of dietary taurine, 225. inhibition of adsorption, 395. inhibition of biosynthesis, 555. from ketone bodies, developing rat brain, 904. and membrane fluidity, endoplasmic reticulum, 1037. notabolism in rat, effect of colestipol, 434. metabolism in rat lung surfactant, 401. mixed micelles, binding, dietary fibers, cholestyramine, Sephadex, 1012. model membranes, fluorescence polarization, 694. normal and obese swine, 823. plasma, and dietary lecithin, 428. plasma, hen, effect of di-(2-ethylhexyl) phthalate, 151. 151. plasma, human age, sex, race, education, occupation, exogenous sex hormone use, 895.
plasma, level, effect of diet, 230. plasma, level, effect of oral contraceptives, 39. serum, assay, interferences, 698. serum, level, effect of dietary vitamin A and cholesterol, rat, 157. serum, reduction with activated charcoal, 365. synthesis, goat mammary gland, 853. ungerminated chlamydospores, fungus, 949. viscosities and phospholipid monolayer, 524. very low density lipoprotein (VLDL), in monkey plasma, 549. VLDL subclasses in human plasma, 456. VLDL SUGGESSES in numar plasma, 450.

[14C]CHOLESTEROL, mass and radioactivity from charred TLC plates, 269.

CHOLESTEROL ADSORPTION, determination of, validity of methods, 133. CHOLESTEROL EPOXIDE, animal tissues, assay, significance, 705. atherosclerosis, hypercholesterolemia, 705.

bitaceae seed oils, 66. CHROMATOGRAPHY, argentation thin layer, glycerides, 279. hydroxyesters, 379. triterpene alcohols, 407. capillary gas liquid, cis-hexadecenoic acid isomers, hydroxy fatty acids, TMS, heptafluorobutyrates, 1044 column, Ag-ion, oyster sterols, 1004. column, alumina, dimethyl, methyl, desmethyl column, Ag-ion, oyster sterois, 100-1.

column, alumina, dimethyl, methyl, desmethyl sterols, 719.

isolation of mitochondrial oxidation products, brominated acids, 255.

horse erythrocyte gangliosides, 682.

marine sponge lipids, class separation, 200.

purification of soy phosphatidylcholine, 91.

silicic acid-AgNO3, steryl acetates, 719.

silicic acid, egg lipids, concentration of cholesterol ac-oxide, 124.

ti- and diphosphoinositol, isolation, 15. tri- and diphosphoinositol, isolation, 15 DEAE-cellulose, isolation of apoproteins, 186. gas-liquid, 5a-bile acid conjugates, 805. characterization, 10-a cucurbi from gourd, 122. cholesterol epoxide, TMS, 705. cholesterol a-oxide, 124. 10-a cucurbita-5, 24-dien-3β-ol, cholesterol, TMS derivatives, 39. cholesterol, trimethylsilyl ether derivatives, 151. cricket cuticle hydrocarbons, 601. dimethylacetals, 534, DG and MG from Grignard degradation, corn oil, linseed oil, safflower oil, sperm whale oil, anchoyy oil, 205. egg lecithin, 481 equivalent chain length, acetates and TMS ethers, 205 fatty acids of algae, 356. fatty acids in brain phosphatidylcholine, 279. fatty acids of dog sarcolemma, 534. cytotoxicity, carcinogenicity, 705. distribution, UV-irradiated mouse skin, 705. distribution, U-tradalated mouse skin, 705.
synthesis, liver, brain microsomes, 705.
in Wolman's disease, 705.
CHOLESTEROL EPOXIDE HYDRASE, UV-irradiated mouse skin, 705.
CHOLESTEROL OXIDASE, steroid reaction products, fatty acids of durian seed, 452. fatty acids of egg lecithin, 481. fatty acids in lung fibroblasts, 412. fatty acids of marine algae, 559. fatty acid methyl esters, alcohols, dimethylacetals, 179. GC-MS, 745. CHOLESTEROL a-OXIDE, quantitation in eggs and fatty acid methyl esters, liver, 141. fatty acid methyl esters, from salmon liver lipids, CHOLESTEROL a-OXIDE, quantitation in eggs and egg products, 124. quantitation by G.L., HPLC, 124. CHOLESTERYL ESTERS, acid hydrolase, mononucelocytes, atherosclerosis, 1019. biosynthesis, nephrotic rat liver, 108. content, control and hepatoma-host liver, effect of 80. fatty acids of rabbit platelet membranes, 604, fatty acids of rat adipose tissue, 572. fatty acids of rat liver, 328. fatty acids in rat liver microsomes, 512. dietary methyl-2-hexadecynoate, 141. content, rat liver microsomes, effect of diet, ethanol, fatty acids of rat plasma lipids, 421. fatty acids of rat testes, 389. fatty acids, sterols, fungus, 949. fatty acids of weevil and rape, 580. ganglioside, carbohydrates, 1055. 230.
fatty acid composition, liver and hepatoma, methyl2-hexadecynoate-fed animals, 141.
horse skin, 323.
human milk, fatty acid profile, 972.
human plasma, dietary cis, trans-12-octadecenoic
acids, 864. heart perfusate fatty acids, 242. horse skin lipids, 323. hydroxy esters, 379. lactones from horse skin, 323. lipoxygenase-linoleate decomposition products, 45. methyl-2-hexadecynoate, 141. LIPIDS, VOL. 15, NO. 12

human plasma, fatty acid profile, dietary trans acids,

230.

methyl hydroxyoctadecadienoates, 544. methyl trimethylsilyloxystearate derivatives of metry trimetrysuy/oxystearate derivatives of linoleate hydroperoxides, 1. mono- and diacylglycerols, separation by degree of unsaturation and positional isomers, 205. MS, autoxidated fats, 661. MS, sterols, bile acids, ether derivatives, 764. oyster sterols, 1004. oyster sterois, 1004, phthalic ester in diazomethane, 968. phosphatidylcholine purification, 591, phytanic acid, [1-14C] phytanic acid, 19. prostaglandin A₁ in onion, 292. 30:3-4-5, 9, 23-pyrrolidide, 200, rat serum fatty acids, 337, serum fatty acids, different species, 597. skin surface lipids, 1062. steroids, cholesterol oxidase products, cyclic derivatives, 745. denvatives, 745. steroids, GLC, electron-capture detection, relative molar responses, 734. steroid oxidation products, 563. sterol acetates, 22. sterols, control and polyene-resistant tobacco cells, sterols from spores of fungi, 375. steryl acetates, retention data, 719. a-tocopherol in erythrocytes, analysis, 135. triterpene alcohols, 407. unsaturated, 5-β-cholanoic acids, 770. urinary hormonal steroids, 710. heparin-Sepharose, isolation lipoprotein lipase, 186. high performance liquid. See Chromatography, high pressure liquid. high pressure liquid, analysis of dolichol, human tissues, 191. 5a-bile conjugates and epimers, 805.
9- and 13-hydroperoxides from linoleate, 1.
hydroxystearates from isomeric hydroperoxides, isolation of phosphatidylcholine molecular species, methoxy fatty acids, 1051. separation of hydroxy fatty acids, 163. separation of phosphatidylcholine oxidation products, 163. separation, quantitation, of cholesterol, α - and β -oxides, 124. uirinary hormonal steroids, 710. ion exchange, DEAE-Sephadex, rat brain ganglio-sides, 1055. paper, steroid glucosiduronates, lecithin effect, 999. radio-gas liquid, dicarboxylates, 306. radio-gas liquid, dicarboxylates, 306. fatty acids, trans, 1023. fatty acid methyl esters, mouse tissue, 168. steroid oxidation products, 563. isomeric fatty acid esters, 306. reverse phase, thin layer, separation, phosphatidyl-choline and oxidation products, 163. Sephadex, isolation of apoproteins, 186. hin layer, Ag-ion, oyster sterols, 1004.
AgNO3, 14C-24:1, 24:2-isolation, 686.
AgNO3, unsaturated 5\$\tilde{\text{cholanoic}}\$ acids, argentation, fractionation of DG acetates, argentation, polyunsaturated fatty acids, argentation, sterol acetates, 22. argentation, triglycerides, 677.
5a-bile acid conjugates, 805.
boric acid, isolation of isomers of MG and DG, 205. mass and radioactivity from charred plates, 269 bovine optic nerve gangliosides, 932. brain phosphatidylcholine, 279. characterization, 10-a-cucurbita-5, 24-dien-3-β-ol, from gourd, 122. cholesterol epoxide, 705. conjugated bile acids, 386. cuticular lipids of weevil and rape, 580. cyclopentenoate autoxidation products, 298. dilinoleyl PC oxidation products, 91. dilinoley) PC oxidation products, 91. egg lectifin, 481. fatty acids of my ine algae, 559. ganglioside hyd olysis products, 932. horse crythrocyte gangliosides, 682. horse skin lipids, 323. improved separation of phospholipids, 61.

isolation, neutral and polar lipids, rat liver, 108. isolation, neutral and polar lipids, salmon liver, 80. isolation, rat liver and microsomal lipids, 263. isolation, rat plasme free fatty acids, 75. lipids of human lung cells, 412. lipids of rat testis, 389. lipoproteins of rat serum, 337, mammary lipids, 497. marine sponge lipids, class separation, 200. monoacylglycerols, 285. neutral and polar lipids, Leishmania donovani, 179. oxidized esters, 379. phosphatidic acid, phosphatidylinositol, separation, 15. phospholipids of dog sarcolemma, 534, phospholipids quantitative, flame ionization detector, 651. tector, 651.
prostaglandin A₁ in onion, 292.
purification, 30:3 Δ-5, 9, 23-pyrrolidide, 200.
quantitation, flame ionization, neutral lipids, 875.
rabbit platelet membrane phospholipids, 604.
rat brain gangliosides, 1055.
rat liver lipids, 328.
rat plasma lipids, 321.
rat serum lipids, 337.
rat resum lipids, 337. separation of phosphatidylcholine and oxidation products, 163. skin surface lipids, 1062. skin surface lipids, 1062. steroid oxidation products, 563. synthetic, 1-acyl-2-[1-14C]linoleyl-sn-glycerophosphatidylcholine, 186. triterpene alcohols, 407. VLDL lipids, 549. two-dimensional, fluorescent substances, rat testes, 236 CIGARETTE SMOKE, and lipolysis in rat lung, 539. Cis 18:1 isomers, desaturation, EFA-deficient, rat liver microsomes, 63. CITROSTADIENOL, acetate, GLC, argentation TLC, spectra, mass, NMR, 22.
CLAM, symbiotic zooxanthellae, fatty acid profile, 799. CLIONASTEROL, NMR spectra, 69. COCONUT OIL, dietary, human heart fatty acid profile, 988. rapeseed oil, sunflower oil and rat heart lipid fatty rapeseed on, sunflower of the second of the CONTRACEPTIVES, oral, effect on mononuclear cell cholesteryl ester hydrolase, 39 effect on plasma cholesterol, cholesteryl ester levels, 39. plasma cholesterol, triglycerides, 895. CORAL, symbiotic zooxanthellae, fatty acid profile, CORN OIL, dietary, cytochromes, electron transport, mitochondria, 925.
fatty acid profile, rat heart phospholipids, 651.
lipogenesis, lean, obese, mouse, 908.
liver mitochondria fatty acids, enzymes, respiration, 918.
and rat liver lipogenesis, 371.
grignard degradation, GLC analysis of TMS ethers of
monoacylglycerol, 205.
CORTICOSTEROIDS, assay techniques, 710.
CORTISOL, medium chain fatty acid synthesis,
mouse mammary gland ex plants, 913.
COW memory tiesus culture, 497. COW, mammary tissue culture, 497.
milk synthesis, 497.
COW MAMMARY TISSUE. See mammary tissue, cow. Crossostrea virginica, tissues, distribution of neutral lipids, 129. See also oyster CRICKET, cuti CRICKET, cuticular alkenes and alkadienes, 601. Crypthecorinium cohnii, phospholipid composition, 694. CRYSTALLOGRAPHY, X-ray, sterol conformational analysis, 783. 10-α-cucurbita-5,24-dien-3-β-ol, TLC, GLC, MS, NMR, IR, 122. characterization,

МΙ

from gourd, isolation and identification, 122. CUCURBITACEAE, isolation, 10-a-cucurbita-5,24-dien-3-β-ol, 122.

CUTIN, fatty acids, synthesis, ethers, esters, pyrrolides, MS, 881.

[1-14C]CYANO-2, 6, 10, 14-TETRAMETHYLPEN-TADECANE, synthesis and physical constraints,

CYCLIC AMP, dibutyryl, fatty acid desaturase, rat liver microsomes, 1064.
CYCLOPENTENOATES, autoxidation, 298.

CYTOCHROMES, rat liver mitochondria, dietary lino-

leic acid, 925.

CYTOCHROME B, REDUCTASE, activity, rat liver, effect of diet and ethanol, 263.

deficiency, li matter, 272 lipids of myelin, gray matter, white

matter, 272. CYTOCHROME c OXIDASE, rat liver mitochondria,

dietary fat, 918.

CYTOCHROME c REDUCTASE, activity, rat liver, effect of diet and ethanol, 263.

effect of diet and ethanol, 203.
sssay, rat liver microsomes, 263.
rat liver, CCl4 poisoning, 631.
(NADH), yeast mitochondrial membranes, 987.
(NADH), yeast mitochondrial membranes, 987.
CYTOCHROME OXIDASE, rat liver mitochondria, dietary linoleic acid, 925. yeast mitochondrial membranes, 987.

ח

Datura stramonium, seed oil, identification, 24(E)-ethylidene sterols, 22.
DDT, dietary, EFA-deficient symptoms in the rat, 815.

DEAE-CELLULOSE COLUMN, purification soy phosphatidylcholine, 91. DEAE-SEPHADEX, bile salt, phospholipid, choles-

DEAE-SEPHADEX, bile salt, phospholipid, choles-sterol binding, 1012.

2,4-DECADIENAL, GLC, lipoxygenase-linoleate decomposition products, 45.

DECARBOXYLASE, 5-pyrophosphomevalonate, role in regulation, hepatic cholesterol synthesis, 196.

DECARBOXYLATION, stearic acid, algae, 609.

DEEP FRIED FAT, fractions, mutagenicity, 849.

7-DEHYDROCHOLESTEROL, cholesterogenesis, in-hibition, perfused rat liver, 625.

DEHYDROGENASE, 3-hydroxyacyl-CoA, activity, pig heart homogenate and mitochondrial acetive powder, 175.

DEOXYCHOLATE, adsorption by activated charcost

DEOXYCHOLATE, adsorption by activated charcoal,

365.
DESATURASE, Δ-6, activity, rat liver, effect of diet and ethanol, 263.
Δ-9, activity, rat liver, effect of diet and ethanol, 263.

Δ5, Δ6, Δ7, rat liver microsomes, 63, fatty acid, assay of rat liver microsomes, 100, fatty acid, assay, rat liver microsomes, 263, fatty acid, Δ5, Δ6, rat liver, chain length effect, 690, fatty acyl, Δ9, Δ6, liver microsomes, diabetic rat, 953.

fatty acyl, Δ9, Δ6, rat liver, CCl4, poisoning, 631.
DESATURATION, fatty acid, effect of ethanol administration, 263. fatty acid isomers, 306.

fatty acid, liver microsomes, effect of trans-18:1, 100.

fatty acids, rat liver microsomes, ephinephrine, cAMP, 1064. positional cis 18:1 isomers, EFA-deficient, rat liver

positional cts 18:1 isomers, EFA-deficient, rat liver microsomes, 63.

DESMETHYL STEROLS, oyster, column, Ag-TLC, GLC, MS, NMR, 1004.

DETERGENT, nonionic, interaction with colipase, 6.

DEXAMETHASONE, endoplasmic reticulum, lipids, membrane fluidity, adrenalectomy, 1037.

DIABETES, streptozotocin, rat, liver microsomal fatty acids, desaturation, 953.

DIACYLGLYCEROLS, acetates, separation by degree of unsaturation by argentation TLC, 205. coho salmon liver, fatty acid composition, 80. content, control and hepatoma-host liver, effect of dietary methyl-2-hexadecynoate, 141.

content, rat liver microsomes, effect of diet, ethanol, 263.

GLC analysis, equivalent chain length, acetates and TMS ethers, 205.
GLC separation, degree of unsaturation and positional isomers, 205.

positional isomers, isolation by boric acid TLC, 205. See also diglycerides.
DIACYLGLYCEROL KINASES, distribution in rat

brain, 285.
DIAZOMETHANE, from N-methyl-N-nitrosotoluene sulfonamide, phthalic ester contaminant, 968.
DIBROMOPALMITIC ACID, (DL)-three-9,10, mito-

9,10-DIBROMOPALMITOYLCARNITINE, quantita-

tion, 255.
DIBUCAINE. See anesthetics, local.
DIBUTYRYL CYCLIC AMP, inhibition of glycolysis, 504

509.
DIETARY FAT, cis-hexadecenoic acid isomers, rat liver, hepatoma, 876.
fatty acid biosynthesis, 512.
DI-2-ETHYL HEXYL PHTHALATE. See phthalic

ester

DIGALACTOSYLDIGLYCERIDE, symbiotic zooxanthellae, fatty acid profile, 799.
DIGLYCERIDES, isomeric, TLC, quantitation, flame

ionization detector, 875.
DIHYDROSPHINGOSINE, spectrophotometric deter-

mination, molar adsorption coefficients, 194. 7,16-DIHYDROXY HEXADECANOATE. See fatty acids, cutin.
8,16-DIHYDROXY HEXADECANOATE. See fatty

acids, cutin.
9,16-DIHYDROXY HEXADECANOATE. See fatty acids, cutin.

10,16-DIHYDROXY HEXADECANOATE, See fatty acids, cutin. 9,10-DIHYDROXYOCTADECANOATE. See fatty

acids, hydroxy. 1,21-DIHYDROXY-20-OXO-5β-PREGNAN-3α-YLβ-D-GLUCOPYRANOSIDURONIC ACID. See ste-

roid glucosiduronates.
DIMETHYL ACETALS, analysis, gas liquid chroma-

tography, 179. 2.2-DIMETHOXYPROPANE, extraction, fluorescent

substances, rat testes, 236.
6-DIMETHYLAMINO-3 [3'-AMINO-3'-DEOXYRIBO-SYL]PURINE. See puromycin aminonucleoside. DINOFLAGELLATES, fatty acid profile, 799. marine, phospholipid composition, 694.

DINOSTEROL, model membranes, fluorescence polarization, 694. DIOL CLEAVAGE, synthesis, keto, hydroxy fatty

acids, 881.
3, 20- DIOXOPREGN-4-EN-21-YL-β-D-GLUCOPY-RANOSIDURONIC ACID. See steroid gluco-

1, 2- DIPALMITOYL - sn - GLYCERO - 3 - PHOS-PHOCHOLINE, avian embryo brain, 279. DIPHOSPHATIDYLGLYCEROL, coho salmon liver,

content and half-life, 80. DIPHOSPHATIDYLINOSITOL, distribution, rat brain

myelin subfractions, 15. DIPHOSPHOINOSITOL, isolation, column chromato-

graphy, 15.
DIVERTICULA, oyster, sterol and triacylglycerol content, effect of physiological condition, 129.
[3-14C] DOCOSAPENTAENOATE, metabolism in rat

DOLICHOL, in human tissues, analysis by HPLC, 191. DUCK, embryo brain phosphatidylcholine, 279. DURIAN SEED, cyclopropene fatty acids, 452. Durio zibethinus. See durian seed.

E

EC 2.3.1.43. See lecithin choles et al acyltransferase. EC 3.1.3.4. See phosphatide phosphohydrolase. EDUCATION, plasma cholesterol, triglycerides, 895. EGG, lecithin, purification and composition, 481. quantitation of cholesterol and a-oxide, 124. EGG PRODUCTION, hen, effect of di-(2-ethylhexyl) phthalate 151. phthalate, 151.

EGG YOLK, lipid extraction, 151.
EHRLICH ASCITES CELLS, isolation from mice, 230.
EICOSA-5,8,11,1-TRIENOIC ACID, Δ5 desaturases, rat liver microsomes, epinephrine, cAMP, 1064.
EICOSA-8,11,14-TRIENOIC ACIDS, desaturation, liver microsomes, effect of trans-18:1 isomers, 100.
ELAIDIC ACID, dietary, rat liver microsomal fatty acid desaturase, 1029.
See also fatty acids, trans.
ELECTRON CAPTURE DETECTOR, GLC steroids, relative molar responses, 734.
ELECTRON TRANSPORT, rat liver mitochondria, dietary linoleic acid, 925.

ELECTRON TRANSPORT, rat liver mitochondria, dietary linoleic acid, 925.

ELECTROPHORESIS, acylamide gel, acetyl CoA carboxylase, rat epididymus, 1067.

agarose, plasma lipoproteins, 549.

gradient gel, isolation, product HDL2 phosphatidylcholine incubation, 86.

polyacrylamide disc gel, lipoproteins, 337. polyacrylamide gel, rat lipoproteins, effect of diet,

95.

LONGASE, fatty acid, activity, pig heart homogenate and mitochondrial acetive powder, 175.

ELONGATION, fatty acid, mitochondrial, inhibition, antibody to 3-ketoacyl-CoA-thiolase, 175.

EMBRYO, avian brain phosphatidylcholine, 279.

ENDOPLASMIC RETICULUM, lipids, membrane fluidity, adrenalectomy, glucocorticoids, 1037.

EPIDIDYMAL FAT, mouse, uptake of [14C]jojoba wax, -triolein, 889.

EPIDIDYMUS, rat, acetyl CoA carboxylase, heat activation, 1067.

EPINEPHRINE, fatty acid desaturase, rat liver microsomes, 1064.

5α,6α-EPOXYCHOLESTAN-3β-OL. See enoxide

EQUOLIDES, composition, 323.

EQUOLIDES, composition, 323.

Equus capallus. See horse.

ERUCIC ACID, apparent digestibility, rat, dietary rapeseed, sunflower, coconut oils, 938.

dietary, human heart, fatty acid profile, 988.

induced alterations, cardiac triacylglycerol hydroly-

sis, 242. ERYTHROCYTES, analysis of α-tocopherol by GLC,

ERYTHROCYTES, horse, isolation of hematoside,

rat, isolation, 14C-22:1, 24:2, TLC, 686.
rat, fatty acid composition, effect of dietary iron level, 55.

ESSENTIAL FATTY ACIDS, cytochromes, electron transport, mitochondria, 925. deficiency, dietary DDT, physiology, biochemistry, 815.

dietary rat liver microsomal fatty acid desaturase,

1029.
effect of low dietary iron, 55.
rat liver, desaturation, positional cis 18:1 isomers, 63.
and rat serum lipoproteins, 337.
restriction, rat, inhibition of calcium adsorption, 251.
ESTERS, cutin fatty acids, MS, 881.
ESTER REDUCTION, synthesis, keto, hydroxy fatty

acids, 881. ESTERIFICATION, intestinal, plasma FFA, effect of unsaturation, 75.
ESTROGEN-PROGESTIN, oral contraceptives, effect

on cholesteryl hydrolase activity, 39. ESTROGENS, assay techniques, 710.

radioimmunoassay, plasma, premenopausal women,

ETHANOL, effect on fatty acid desaturation, liver,

dietary effects in rat, 382. ETHERS, methyl, hydroxy fatty acids, preparation, 1051.

1051.
in phospholipids of pig lymphocytes, 475.
TMS, cutin fatty acids, MS, 881.
24 - ETHYL - 5 - α - CHOLESTA - 7, E-22-DIEN-3βOLS, epimers, identification by NMR, 66.
24-ETHYL CHOLESTEROL, NMR spectra, 69.
ungerminated chlamydospores, fungus, 949,
24 - ETHYL - 22 - DEHYDROCHOLESTEROL, NMR

spectra, 69.
ETHYL MAGNESIUM BROMIDE, degradation of TG for GLC analysis of MG and DG, 205.

ETHYLENEDIAMINETETRACETIC acid, inhibitory effect, thiobarbituric acid test, 137.
24(E) - ETHYLIDENE STEROLS, solanaceae seed, rice bran oil, 22.

FATS, autoxidized, GC-MS, 661.

deep frying, fractions, mutagenicity, 849. polar, TMS, heptafluorobutyrates, capillary GC-MS, 1044.

dietary, cis-hexadecenoic acid isomers, rat liver, hepatoma, 876. electron transport, rat liver mitocytochromes,

cytochromes, electron transport, rat liver mitochondria, 925.
effect of fatty acid composition of rat milk, 276.
effect on rat liver microsomes, 512.
fatty acid profile, rat heart phospholipids, 651.
and fluidity of platelet membranes, 604.
human heart fatty acid profile, 988.
lipogenesis, lean, obese, mouse, 908.
protected, lipogenesis, ovine tissues, 644.
oxidized fractions, mutagenicity, 849.
FATTY ACID BINDING PROTEIN, role in intestinal
esterification, 75.
FATTY ACID DESATURASES, Δ9, Δ6, liver microsomes, diabetic rat, 953.

FATTY ACID DESATURASES, Δ9, Δ6, liver microsomes, diabetic rat, 953.
 FATTY ACID DESATURATION, effect of ethanol administration, 263. liver microsomes, effect trans-18:1 isomers, 100.
 FATTY ACID ELONGASE, activity, pig heart, homogenate, and mitochondrial acetive powder, 175.
 FATTY ACID ELONGATION, mitochondrial, inhibition, antibody to 3-ketoacyl-Co-Arhiolase, 175.
 FATTY ACID METABOLISM, coho salmon, 80. hepatic, normal and hepatoma, effect of methyl-2-hexadecynoate, 141.
 FATTY ACID METHYL ESTERS, analysis, gas liquid chromatography, 179.

chromatography, 179.
FATTY ACID PROFILE, algae, 356.
bovine optic nerve gangliosides, 932.
cardiac phospholipids, dietary fat, 651.
cholesteryl esters, triglycerides, human milk, 972.
coconut oil, 512.

cuticular lipids of weevil and rape, 580. durian seed, 452.

durian seed, 452.
egg lectifin, 481.
endoplasmic reticulum, adrenalectomy, glucocorticoids, 1037.
human heart, dietary fat, 988.
human lung fibroblasts, 15:412.
human lung lipids, carcinoma, 616.
human milk, 345.

human plasma lipids, dietary cis and trans-12-octadecenoic acids, 864. liver, tail skin, EFA-deficiency, dietary DDT, 815. marine algae, 559.

marine algae, 539. phosphatidylcholine in developing avain brain, 279. phospholipids of pig lymphocytes, 475. rabbit platelet membrane phospholipids, 604. rat adipose tissue, 572.

rat heart lipids, dietary rapeseed, sunflower, coconut

rat liver microsomal lipids, diabetic rat, 953. rat liver microsomal lipids, 512. rat liver microsomal lipids, 512. rat liver microsomes, CCl4 poisoning, 631. rat liver microsomes, EFA-deficiency, dietary trans

rat liver microsomes, EFA-deficiency, dietary trans acids, 1029.
rat liver mitochondria, dietary fat, 918.
rat liver phospholipids, 328.
rat liver triglycerides, 328.
rat lung, lipids, dietary trans octadecadienoate, 975.
rat serum and lipoproteins, 337.
serum of different species, 597.
symbiotic zooxanthellae lipids, 799.
ungerminated chlamydospores, fungus, 949.
FATTY ACIDS, bacterial, heptafluorobutyrates, capillary GC-MS, 1044.
biosynthesis in marine algae, 559.
liver, adipose tissue, lean, obese Zucker rats, 993.
mouse, lean, obese, dietary fat, fasting, 908.
ovine tissues, protected dietary fat, 644.
in rat liver microsomes, 512.
cholesteryl esters of horse skin, 323.

composition, mono- and diacylglycerol, effect on kinase activity, 285. cutin, synthesis, ethers, esters, pyrrolides, MS, 881. cyclopentenyl, autoxidation, 298. cyclopentenyl, extraction, 298. cyclopenee, in durian seed, 452. \$\Delta\$ desaturase, rat liver microsomes, epinephrine, CAMP, 1064 cAMP, 1064. Δ6, rat liver microsomes, dietary trans

desaturase, Δ acids, 1029. desaturase, $\Delta 9$, $\Delta 6$ rat liver CCl4 poisoning, 631. desaturation of cis- and trans-isomers, 306. desaturation, liver microsomes, diabetic rat, 953. desaturation, $\Delta 5$, $\Delta 6$, rat liver, chain length effect,

desaturation in rat liver microsomes, 512.

dietary, and fluidity of platelet membranes, 604. dietary, and rat growth, 512. dihydroxy, synthesis, ethers, esters, pyrrolides, MS, effect on cholesterol adsorption by rat, 395.

free, content, rat liver, microsomes, effect of diet, ethanol, 263. hydroperoxides, reduction, sodium borohydride, 1051.

hydroxy, autoxidiz 1 fats, GC-MS, 661. human brain, cerebrosides and sulfatides, 272.

human brain, cerebrosides and sulfatides, 272. methyl ethers, preparation, 1051. separation, HPLC, 163. TMS, heptafluorobutyrates, capillary GC-MS, 1044. hydroxy-keto, synthesis, ethers, esters, pyrrolides,

incorporation, utilization, human skin fibroblasts, 838. keto-hydroxy, synthesis, ethers, esters, pyrrolides,

MS, 881.
from ketone bodies, developing rat brain, 904.
liver, transfer to adipose tissue, inhibition by Triton
WR 1339, 993.

measurement of mobility in adipose tissue, 572. medium chain, synthesis, mouse mammary gland explants, 913.

explants, 913.
metabolism in aging cells, 412.
metabolism in human lung fibroblasts, 412.
metabolism in rat testes, 389.
nonesterified, TLC quantitation, flame ionization
detector, 875. oxidation, 544.

oxidation rates in mammary tissue, 497. oxidation rates of unsaturated esters, 379.

peroxidation, 485. phospholipid, and monolayer viscosity, 524. plasma and tumor growth, 421.

polyunsaturated, methoxy, preparation, 1051. positional distribution in phospholipids of pig lymphocytes, 475. serum, of different species, 597. sterculic in durian seed, 452.

stimulation of triglyceride secretion, hepatocytes, synthesis in rat kidney, 519.

trans, cholesteryl esters, triglycerides, human milk, 972.

trans, desaturation, rat liver, 690. dietary, distribution human plasma lipids, lipo-proteins, 864.

dietary, rat liver microsomal fatty acid desaturase, 1029.

dietary, rat lung fatty acid profile, 975. metabolism, distribution, fetal rat tissues, 1023. placental transport, rat, 1023.

FATTY ACYL COA HYDROLASE, rat liver, CCl4 poisoning, 631.
FATTY ALDELYDE PROFILE, rat heart phospho-

lipids, dietary fat, 651. FERRICYANIDE REDUCTASE, activity, rat liver,

effect of diet and ethanol, 263.
assay, rat liver microsomes, 263.
FETUS, rat, distribution of maternal cis-, trans-fatty acids, 1023.
FIBER, dietary, bile salt, phospholipid, cholesterol binding, 1012.
FIBROBLASTS, human, enzyme activity, 456.
human lung, fatty acid metabolism, 412.

human skin, incorporation, oleic, linoleic acid, 838. FLOPHEMESYL ETHERS, steroids, GLC, electron

rapture detection, 734.

FLORISIL COLUMN, purification of soy phosphatidylcholine, 91.

FLUORESCENCE, polarization, sterols, model mem-

branes, 694.

branes, 694.
tissue, extraction and quantitation, 10.
FLUORESCENT SUBSTANCES, extraction, 2,3-dimethyoxypropane, 236.
rat testes, age-related, isolation and analysis, 236.
FOLIC ACID, dietary omission and phosphatidyl-choline biosynthesis in rat, 439.
FORAMINIFERAN, symbiotic zooxanthellae, fatty

acid profile, 799.

FREE FATTY ACID, content, control and hepatoma host liver, effect of dietary methyl-2-hexadecy-

noate, 141. fatty acid composition, liver and hepatoma, methyl-

2-hexadecynoate-fed animals, 141. plasma, saturated, unsaturated, intestinal metabolism,

rat plasma, isolation, TLC, 75. serum level, effect of dietary butter, olive or canbra

[14C] FREE FATTY ACID, mass and radioactivity from charred TLC plates, 269.
FREE RADICAL OXIDATION, polyunsaturated leci-

thins, 163. FRUCTOSE DIPHOSPHATASE, activity in rat hepatocytes, 504.

preparation and assay, 504. FUCOSTEROL, acetate, GLC, argentation, TLC, 22. acetate, spectra, mass, NMR, 22.

identification, rice bran oil, 22.
identification, Solanaceae seed oil, 22.
FUNGI, chlamydospores, ungerminated, fatty acids,

growth medium, fractionation of mycelia, 830. sterol composition of spores, 375. FUNGI MYCELIA, phospholipase activity, 830.

GALACTOLIPIDS, symbiotic zooxanthellae, fatty acid profile, 799.
GALACTOSIDASE, in porcine lung lamellar bodies, 447.

rat lung lysosome, 447.
GALL BLADDER, guinea pig, bile salt content, effect of dietary taurine, 225.
GANGLIOSIDES, bovine optic nerve, isolation, fractionation, 932.
bovine optic nerve, sialic acid, monosaccharides,

fatty acids, 932. horse erythrocyte, column chromatography, 682. rat brain, degradation, neuraminidase, alkali, 1055.

rat cerebellum, TLC, heterogenicity, 1055. GERM, rice, lipoxygenase. See lipoxygenase, rice germ. GERMINAL CELLS, rat, metabolism of polyunsaturated fatty acids, 389.

GILLS, oyster, sterol and triacylglycerol content, effect of physiological condition, 129.

Glomus caledonius. See fungus.

GLUCAGON, effect on phosphofructokinase activity, 504.

stimulated lipolysis, heart, effect of diet, 242.
GLUCOCORTICOIDS, endoplasmic reticulum, lipids,
membrane fluidity, adrenalectomy, 1037.
GLUCOSAMINIDASE, in porcine lung lamellar bodies,

447

447.
rat lung lysosomes, 447.
GLUCOSE, incorporation, cholesterol, fatty acids, developing rat brain, 904.
GLUCOSE-U-14C, incorporation, lipids, lean, obese mouse, dietary fat, fasting, 908.
GLUCOSIDURONATES, steroid, lecithin and chloroform solubility, 999.
GLYCERIDES, tissue, labeling, 572.
GLYCEROLIPIDS, synthesis in rat kidney, 519.
3n-GLYCEROPHOSPHATIDYLCHOLINE, 1-acyl-2-[1-14C] linoleyl, synthesis, 186.
GLYCOCHOLATE, adsorption by activated charcoal, 365.

365.

GLYCOLYSIS, inhibition in rat hepatocytes, 504. GONAD, oyster, sterol and triacylglycerol content, effect of physiological condition, 129.

binding, 1012.

effect of physiological condition, 129.
GORLATE, autoxidation, 298.
GROUND NUT OIL. See peanut oil.
GOURD SEED OIL, isolation, 10 a-cucurbita-5,24dien-3-6-01, 122.
spinasterol, identification by NMR, 66.
GRIGNARD REAGENT, degradation of TG for GLC
analysis of MG and DC, 205.
Gryllus pennsylvanicus. See cricket.
GUANIDOACETIC ACID, dietary, effect on phosphatidylcholine biosynthesis in rat, 439.
GUAR GUM, bile salt, phospholipid, cholesterol
binding, 1612.

3H₂O, incorporation, lipids, lean, obese, mouse, dietary fat, fasting, 908.
 HEART, dog, lipid hydrolysis by phospholipase A₂,

534

human, dietary fat and fatty acids, profile, 988. lipid peroxidation and vitain E, 315. mouse, uptake of [14C] jojoba wax, triolein, 889.

pig, fatty acid elongation, inhibition by antibody to 3-ketoacyl-CoA-thiolase, 175.

3-ketoacyt-co-thiolase, 173. rat, alterations, friacylglycerol hydrolysis, erucic-acid-induced, 242. fatty acid profile, phospholipids, dietary fat, 651. isolation of mitochondial, lysosomal, microsomal

fractions, 242. lipids, fatty acids, dietary rapeseed, sunflower, coconut oils, 938.

natural triglycerides, lipolysis, synthetic, natural triglycerides, 962. perfusion, determination of lipolysis effect of diet,

sheep, lipogenesis, protected dietary fat, 644. HEMATIN, hydroperoxide formation, from linoleic

HEMATOSIDE, horse erthrocyte, column chromato-

graphy, 682. HEMOGLOBIN, interference, serum cholesterol assay,

698.

HENS, laying, effect, di-(2-ethylhexyl)phthalate, on lipid metabolism, 151.

HEPATOCYTES, rat, glycolysis, 504.

triglyceride secretion in vitro fatty acid stimulation,

HEPATOMA, fatty acid composition, lipids, methyl-2-hexadecynoate-fed animals, 141.

effect of methyl-2-hexadecynoate on lipid metabolism, 141.

lipid composition, 141.
HEPATOMA 7288CTC, rat, cis-hexadecenoic acid isomers, dietary fat, 876.
HEPTADECANE, biosynthesis, stearic acid decarboxy-

HEPTADECANE, biosyntnesis, stearic acid decarboxylation, algae, 609.
HEPTAFLUOROBUTYRATES, hydroxy fatty acids, capillary GC-MS, 1044.
HEXADECANOIC ACID, dihydroxy, synthesis, esters, ethers, pyrrolides, MS, 881.
hydroxy-keto, synthesis, ethers, esters, pyrrolides, MS, 800.

MS. 881 HEXADECENOIC ACID, cis, isomers, rat liver, hepatoma, dietary fat, 876.

toma, dietary fat, 876.
cis, ozonolysis, capillary, GC, 876.
[1-14C]HEXADECENOIC ACID, preparation, 306.
HEXADECYL GLYCEROL, incorporation into lipids of Leishmania donovani, 179.
2-HEXADECYNOIC ACID, methyl ester, dietary, cishexadecenoic acid isomers, rat liver, hepatoma,

synthesis and effect on hepatic lipid metabolism, 141.
HEXOSAMINE, in bovine optic nerve gangliosides,

Hippopus hippopus. See zooxanthellae.
HORMONES, fatty acid biosynthesis, mouse mammary gland, 913.

sex, exogenous, plasma cholesterol, triglycerides, 895. HORSE, skin lipids, 323. HUMAN AMNIOTIC FLUID. See amniotic fluid, human

HUMAN HDL2, interaction with synthetic phospha-

HUMAN HDL2, interaction with synthetic phosphatidylcholines, 86.

HUMAN LIVER, See also liver, human.

HUMAN LIVER, dolichol homologs, analysis by HPLC, 191.

HUMAN MLK, lipids (review), 345.

HUMAN MIL K, lipids (review), 345.
sampling, 345.
HUMAN TISSUES, dolichol analysis by HPLC, 191.
HYDNOCARPATE, autoxidation, 298.
HYDRATASE, enoyl-CoA, activity, pig heart homogenate and mitochondial acetate powder, 175.
HYDROCARBONS, biosynthesis, algae, 609.
cuticular lipids of weevil and rape, 580.
cholesteryl ester, assay, mononuclear cells, effect of oral contraceptives, 39.
HYDROLYSIS. cholesteryl esters, mononucleocytes.

HYDROLYSIS, cholesteryl esters, mononucleocytes, atherosclerosis, 1019. triacylglycerol, cardiac, erucic-acid-induced altera-

tions, 242.
HYDROPEROXIDES, autoxidized fats, as hydroxy acids, 661.

determination of hydroxystearates from, 587. fatty acid reduction, sodium borohydride, 1051. linoleic acid, mutagenicity, 849. C-9 and C-13, composition products, direct GC-

MS. 45. chromatographic analysis, 379

cyclase, substrate specificity, 468. isomers from methyl linoleate, 544. thiobarbituric acid test for, coloring conditions, 137.

9- and 13-HYDROPEROXIDES, from lipoxygenase

reaction with linoleic acid, 1. Transport acid, inhibition of platelet aggregation, 472.

HYDROPEROXYEICOSATETRAENOIC ACID, inhibition of platelet aggregation, 472.

HYDROPEROXYLINOLEIC acid, enzymatic cyclization, 472.

HYDROYEROAT LINGUIST actu, enzymatic cyclistion, 468.
HYDROXY ACIDS, autoxidized fats, GC-MS, 661.
HYDROXY FATTY ACIDS, human brain, cerebrosides and sulfatides, 272.
separation HPLC, 163.
HYDROXY STEARATES, determination of isomeric,

HYDROXY STEROLS, chemical ionization, MS, 756. β-HYDROXYBUTYRATE, incorporation, cholesterol, fatty acids, developing rat brain, 904. 21-HYDROXY-11-20-DIOXO-5β-PREGNAN-3α-YL-β-

D-GLUCOPYRANOSIDURONIC ACID. See steroid glucosiduronates.

11β-HYDROXY-3,20-DIOXPREGN-4-EN-21-YL β-D-GLUCOPYRANOSIDURONIC acid. See steroid

glucosid uronates. 17a-HYDROXY-3,20-DIOXOPREGN-4-EN-21-YL GLUCOPYRANOSIDURONIC ACID. See steroid

glucosiduronates.
2-HYDROXYHEXADECANOATE. See fatty acids,

hydroxy 3-HYDROXY-3-METHYLGLUTARYL COA REDUC-TASE, activity in hypertriglyceridemic human plasma, 456. assay, 456.

cholesterogenesis, perfused rat liver, 625.
9-HYDROXYOCTADECANOATE. See fatty acids,

hydroxy.
10-HYDROXYOCTADECANOATE. See fatty acids,

hydroxy. HYDROXYOCTADECANOIC ACIDS, mutagenicity,

16-HYDROXY-8-OXOHEXADECANOATE. See fatty acids, cutin.
16-HYDROXY-9-OXOHEXADECANOATE. See fatty

acids, cutin.
16-HYDROXY-10-OXOHEXADECANOATE. See fat-

ty acids, cutin.
-HYDROXY-20-OXO-5β-PREGNAN-3α-YL-β-D-GLUCOPYRANOSIDURONIC ACID. See steroid

glucosiduronates a-HYDROXYSTEARYL CoA, preparation, 479. 2-HYDROXYTETRADECANOATE. See fatty acids,

hydrox 3-HYDROXYTETRADECANOATE. See fatty acids,

hydroxy. 17a-HYDROXY-3,11,20-TRIOZOPREGN-4-3-EN-21-YL β-D-GLUCOPYRANOSIDURONIC ACID. See steroid glucosiduronates.

HYPERCHOLESTEROLEMIA, and serum cholesterol

epoxide, 705.
VLDL lipoprotein in monkeys, 549.
HYPERLIPIDEMIA, induction in rat with puromycin aminonucleoside, 108.

interference, serum cholesterol assay, 698.

in monkey and dietary lecithin, 428.

HYPERTRIGLYCERIDEMIA, effect on lipoproteins, 456

430.
vitamin-A-induced, cholesterol-fed rats, 157.
YPOALBUMINEMIA, induction in rat with puromycin aminonucleoside, 108.

IMMUNOPRECIPITATION, acetyl CoA carboxylase,

IMMUNOPRECIPITATION, acetyl Coa carboxylase, rat epididymus, 1067. INSECTS, steroid profile, 719. INSULIN, medium chain fatty acid synthesis, mouse mammary gland explants, 913. therapy, diabetic rat, liver microsomal fatty acids, desertion of the coarse of the coarse

desaturation, 953.
INTESTINAL ESTERIFICATION, plasma FFA, effect

INTESTINAL ESTABLES
of unsaturation, 75.
INTESTINAL MUCOSA, rat, effect of essential fatty
restriction on calcium adsorption, 251. See also mucosa, intestinal.

INTESTINE, large, guinea pig, bile salt content, effect of dietary taurine, 225.
1-IODO-2,6,10,14-TETRAMETHYL PENTADECENE,

synthesis and physical constants, 19.
IRON, dietary, effect of EFA deficiency in rat, 55.
IRON SALTS, use in thiobarbituric acid test for hydroperoxides, 137.

Isochrysis galbana. See algae. 28-ISOCITROSTADIENOL, acetate, GLC, argentation

acetate, spectra, mass, NMR, 22. identification, rice bran oil, 22. identification, solaneceae seed oil, 22. 28-ISOFUCOSTEROL, acetate, GLC, argentation

TLC, 22. acetate, spectra, mass, NMR, 22.

JOJOBA WAX, 14C-labeled, distribution of 14C, 889. subcutaneous injection, adsorption, tissue distribution, mouse, 889.

K

KETALIZATION, synthesis, keto, hydroxy, fatty acids, 881.
3-KETOACYL-CoA-THIOLASE, immunoprecipitation

from acetone powder, 175.
3-KETOACYL-CoA-THIOLASE ANTIBODIES, inhi-

3-KETOACYL-CoA-THIOLASE ANTIBODIES, inhibition, mitochondrial fatty acid elongation, 175.
7-KETOLITHECHOLIC ACID, content of guinea pig gall bladder, small intestine, large intestine, pool size, effect of dietary taurine, 225.
KETONE BODIES, incorporation, cholesterol, fatty acids, developing rat brain, 904.
KETONES, cuticular lipids of weevil and rape, 580.
KIDNEY, lipid peroxidation and vitamin E, 315.
mouse, uptake of [14C] jojoba wax, -triolein, 889.
rat, activity of 5-pyrophosphomevalonate decarboxylase, 196.

lase, 196. palmitate oxidation, 497.

tissue osmolality, 519. KINKAJOU, squalene in skin surface lipids, 1062. KYURENINE HYDROXYLASE, yeast mitochondrial membranes, 987.

LACTATION, rat, mammary tissue, phosphatidic acid phosphohydrolase, 26. LACTONES, horse skin, 323.

Lagenaria leucantha, var. gourda, isolation of 10-a-cucurbita-5,24-dien-3-β-ol, 122.

LANOSTEROL, effect on cholesterol adsorption by

rat, 395.

LAURIC ACID, apparent digestibility, rat, dietary rapeseed, sunflower, coconut oils, 938.

LCAT. See lecithin cholesterol acyltransferase.

LECITHIN CHOLESTEROL ACYLTRANSFERASE,

and dietary lecithin in monkey, 428.

plasma, assay, 811. rat, rabbit, dog, inhibition, local plasma, man, rat anesthetics, 811.

radiochemical purity assay, ³H-cholesterol, 983. LECITHIN, effect on cholesterol adsorption by rat, 395.

effect on paper chromatography, steroid gluco-siduronates, 999.

effect on plasma lipids in monkeys, 428.

egg, fatty acids, 481.

egg, party actus, 401. egg, purification, 481. polyunsaturated, free radical oxidation, 163. solubility of steroid glucosiduronates, 999. Leishmania donavani, incorporation of octadecanol into lipids, 179,

Leptastrea pruinosa. See zooxanthellae.

Leucine, incorporation, proteins, lipoproteins, per-fused rat liver, experimental nephrosis, 637. LIDOCAINE. See anesthetics, local. LIGNIN, bile salt, phospholipid, cholesterol binding,

1012

LINOLEATE, autoxidation, 298. hydroperoxides, analysis, HPLC, mass spectra, GLC,

oxidation rate, 379.
[1-14C]LINOLEATE, metabolism in rat testis, 389.
LINOLEIC ACID, apparent digestibility, rat, dietary rapeseed, sunflower, coconut oils, 938

desaturation, liver microsomes, diabetic rat, 953. desaturation, liver microsomes, effect trans-18:1 isomers, 100, dietary, cytochromes, electron transport, mito-chordria, 925.

dietary liver mitochondria fatty acids, enzymes, respiration, 918.

respiration, 918.
human plasma lipids, dietary trans acids, 864.
hydroperoxide formation, hematin-catalyzed, 1.
hydroperoxide formation by lipoxygenase, 1.
incorporation, use, human skin fibroblasts, 838.
lipoxygenase decomposition products, direct GC-MS, 45.

Inpoxygenase decomposition products, direct GC-MS, 45.
mobilization, tumor-bearing mice, 168.
oxidation, diene conjugation assay, 944.
oxidation, nitric oxide-myoglobin, inhibition, 944.
restriction, rat, inhibition of calcium adsorption, 251.
LINOLEIC ACID HYDROPEROXIDE, mutagenicity, 849

LINOLELAIDIC ACID, dietary rat liver, microsomal fatty acid desaturase, 1029.

See also fatty acids, trans.
[1-14C] LINOLENIC ACID, metabolism, coho salmon, 80.

80.

LINOLENIC ACID, metabolism in aging cells, 412.

LINOLEOYL-CoA, synthesis, 100.

LINSEED OIL, grignard degradation, GLC analysis of TMS ethers of monoacylglycerol, 205.

LIPASE, lipoprotein, phospholipase A, activity, stimulation by apoprotein C-II, 186.

lipoprotein, triacylglycerol, phospholipase A1, assay,

rat heart, synthetic, natural triglycerides, 962. LIPID EXTRACTION, rat brain, myelin, 15. LIPID PEROXIDATION, rat liver mitochondria, dietary fat, 918.

LIPID PEROXIDES, colorimetric, micro, aluminum chloride catalyst, 965.

chloride catalyst, 905.
LIPID PROFILE, endoplasmic reticulum, membrane fluidity, adrenalectomy, glucocorticoids, 1037. rat liver microsomes, diabetic rat, 953.
LIPID QUANTITATION, mass and radioactivity from charred TLC plates, 269.
LIPIDS polar, content of 30:3 \(\Delta 5.9.23. \) marine

LIPIDS, polar, sponge, 200. content of 30:3 \$\Delta5,9,23, marine

serum, rat, composition, effect of dietary protein, lysine, and arginine, 95.
LIPID SYNTHESIS, from ketone bodies, developing

rat brain, 904.

content of guinea pig gall bladder, small intestine, large intestine, pool size, effect dietary taurine, 225. LIPOFUSCIN, in vitamin E deficiency, 10. LIPOGENESIS, biosynthesis, ovine ti tected dietary fat, 644. tissues, tected dietary fat, 644. hepatic, nephrotic rat, 108. influence of urea, in kidney, 519. liver, adipose tissue, lean, obese Zucker rats, 993. liver, and dietary oxidized fat, 371. mouse, lean, obese, dietary fat, fasting, 908. rat kidney papillae, 519, synthesis, perfused rat liver, experimental nephrosis, 637. 225.
LIVER, coho salmon, phospholipids, composition and half-lives, 80.
fatty acid composition, lipids, methyl-2-hexadecynoate-fed animals, 141.
hen, weight, lipid composition, effect, di-(2-ethyl-hexyl)phthalate, 151.
human, dolichol homologs, analysis by HPLC, 191.
lipid peroxidation and vitamin E, 315.
microsomes rat oxidation of steroids, 563. microsomes, rat, oxidation of steroids, 563.
mouse, uptake of [14C] jojoba wax, -triolein, 889.
rat, activity of 5-pyrophosphomevalonate decarboxy-LIPOLYSIS, pancreatic lipase, olive oil, 875. rat heart, norepinephrine, glucagon stimulated, effect of diet, 242.
rat heart, synthetic, natural triglycerides, 962.
LIPOPROTEIN LIPASE, assay, 186.
isolation from cows' milk, 186. 188e, 196.
rat, biosynthesis, cholic acid, from tri- and tetracholestanoic acids, 113.
cytochrome c reductase, NADH-demicyanide reductase, CC14 poisoning, 631.
effect of methyl-2-hexadecynoate on lipid metabophospholipase A, activity, stimulation by apopro-tein C-II, 186.

LIPOPROTEINS, high density, cholesterol and dietary LIPOPROTEINS, high density, cholesterol and dietary lecithin in monkey, 428. fatty acid composition, effect of diet, 230. HDL2, interaction with synthetic phosphatidyl-cholines, 86. HDL2, redistribution apo-A-I, 86. isolation of HDL2, 86. level, effect of diet, 230. lipid composition, effect of dietary butter, olive or canbra oil, 216. plasma, triglycerides, obesity, 668. rat, level, effect dietary protein, lysine, and arginine, 95. lism, 141. FA composition, phospholipid and TG, effect of dietary iron, 55. fatty acid desaturation, effect of ethanol adminis-tration, 263. fatty acid profile, EFA-deficiency, dietary DDT, fatty acyl CoA, hydrolase, CCl4 poisoning, 631. fatty acyl desaturase, Δ9, Δ6, CCl4 poisoning, 631. cts-hexadecenoic acid isomers, dietary fat, 876. lean, obese Zucker rat, fattyacid biosynthesis, 993. lipid content, effect of vitamin A, cholesterol-fed in rat serum, 337.
regulation of lung cholesterol metabolism, 401.
subfractions, composition effect of diet, 230.
subfraction, effect on cholesterol release from cells, rats, 157. lipogenesis, 504. lipogenic enzymes, and diet, 371. lipoprotein synthesis, puromycin aminonucleoside puromycin syndrome, 858, microsomal enzyme activities, 512, microsomal fatty acid desaturase, dietary trans 230. swine, composition, 823. hepatic synthesis, puromycin aminonucleoside-in-duced nephrotic syndrome, 858. human plasma, dietary cis and trans-12-octadecenoic acids, 864. acids, 1029. microsomal fatty acid profile, CCl4 poisoning, 631. microsomes, 100. microsomes, $\Delta 5$, $\Delta 6$, $\Delta 7$ desaturases, 63. microsomes, desaturation of fatty acids, effect inhibitor of sterol formation from squalene, 555. isolation from rat liver supernatant, 858. low density, cholesterol, and dietary lecithin in montrans-18:1 isomers, 100. key, 428. lipid composition, effect of dietary butter, olive or microsomes, EFA-deficient, desaturation of posi-tional cis 18:1 isomers, 63. microsomes, fatty acid synthesis, 512.
nephrotic syndrome, biosynthesis, polar, neutral lipids, from water and palmitate, 108.
perfused, cholesterogenesis, HMG-CoA reductase, canbra oil, 216.
rat, level, effect dietary protein, lysine, and argi-95. regulation of lung cholesterol metabolism, 401. swine, composition, 823. plasma, structure (review), 464. rat, content, effect of dietary protein, lysine, and arginine, 95. 625. perfused, protein, apoliprotein synthesis, experimental nephrosis, 637. rat, polyacrylamide gel electrophoresis, effect of diet, 95. phosphatidylcholine biosynthesis and diet, 439. regulation of cholesterol biosynthesis, 196. weight and lipid content, effect of dietary protein, rat serum and EFA deficiency, 337. lysine and arginine, 95.
sheep, lipogenesis, protected dietary fat, 644.
sterol formation from squalene, 555.
triglyceride secretion in vitro, fatty acid stimulation, serum, cholesterol assay, 698. synthesis, perfused rat liver, experimental nephrosis, 537.
swine, isolation, ultracentrifugation, 823.
swine, normal, obese, characterization, 823.
very low density, hypercholesterolemic monkey, 549.
isolation of C-apoproteins from, 186.
lipid composition, effect of dietary butter, olive or VLDL secretion in monkey, 549. LIVER MICROSOMES, rat, biosynthesis, cholic acid, from tri- and tetracholestanoic acid, 113. rat, fatty acid desaturase, 690. rat, isolation, ethanol-fed rats, 263 canbra oil, 216. rat, preparation, desaturase assay, 100.
See also microsomes, liver.
LIVER MITOCHONDRIA, rat, biosynthesis, cholic
acid, from tri- and tetrahydroxycholestanoic acid, rat, level, effect of dietary protein, lysine, and arginine, 95. in rat serum, 337. subclass fractionation, 456. subclasses, enzyme suppression in hypertriglyceridemia, 456. 113. swine, composition, 823. transfer to adipose tissue, inhibition Triton WR 1339, 993. ee also mitochondria, liver. LUNG, human, carcinoma lipid profile, fatty acid profile, 616.

human fibroblasts, fatty acid metabolism, 412. lipid peroxidation and vitamin E, 315. mouse, uptake of [14C]jojoba wax, -triolein, 889. porcine, lamellar bodies, 447. rat, fatty acid profile, dietary trans octadecadienoate,

rat, lipolytic activity and cigarette smoke, 539. rat, lysosomal enzymes, 447. rat, surfactant cholesterol metabolism, 401. LUNG SURFACTANT, viscosity, 524.

LIPOXY GENASE, isolation from peanuts, 45.

linoleare decomposition products, direct GC-MS, 45. oxidation of steroids, 563. products, methoxy, HPLC, NMR, IR, MS, polarimetry, 1051.

rice germ, product specificity, 1.
soybean, reaction with linoleic acid, 1.
LITHOCHOLIC ACID, caecum and large intestine
guinea pig, effect of dihydroxy taurine, 225.

Lymnodinium microadriaticum. See zooxanthellae. LYMPHOCYTES, pig phospholipids, 475. LYMPHOMA, thymic, mouse, effect on fatty acid

mobilization, 168.

L-LYSINE, dietary, effect on lipid composition, rat liver and lipoproteins, 95.

LYSO-BIS-PHOSPHATIDIC ACID, human lung carci-

noma, 616. LYSOPHOSPHATIDYLCHOLINE, coho salmon liver, content and half-life, 80.

content and nair-life, 80.
content, control, hepatoma, host liver, effect of
acetylenic acid, 141.
LYSOPHOSPHATIDYLINOSITOL, coho salmon liver,
content and half-life, 80.
LYSOPHOSPHOLIPASE activity, in fungal mycelia,

830.
LYSOPHOSPHOLIPIDS, content, rat liver microsomes, effect of diet, ethanol, 263.
LYSOSOMES, phosphatidate phosphohydralase activ-

ity, 447. porcine lung tissue, enzymes, 447.

MALATE DEHYDROGENASE, yeast mitochondrial

membranes, 987.
MALVALIC ACID, in durian seed, 452.
MAMMARY, rat, phosphatidic acid phosphohydrolase,

26.

MAMMARY GLAND, goat, cholesterol synthesis, uptake from plasma, 853.

mouse, medium chain fatty acid synthesis, 913.

rat, phosphatidic acid phosphohydrolase, 26.
MAMMARY TISSUE, cow, carotenoid content, micro-

somes, 33. cow, carotenoid content of mitochondria, whole tissue, 33.

fatty acid oxidation, 497. Mantastrea curta. See zooxanthellae.

MANTLE, oyster, sterol and triacylglycerol content, effect of physiological condition, 129.

effect of physiological condition, 129.

Marginopora vestebralis. See zooxanthellae.

MARINE OIL, partially hydrogenated, dietary effect
on fatty acid composition, rat milk, 276.

MARINE SPONGE, Chondrilla nucula, 5,9,23-triacontatrienoic acid, content, 200.

MEMBRANES, cholesterol bilayer, X-ray crystallo-graphy, 783. fluidity, lipids, adrenalectomy, glucocorticoids,

1037 milk fat globule, preparation, carotene content, 33. model, sterols, fluorescence polarization, 696. platelet, fluidity and dietary fat, 604. yeast mitochondria, sterol, phospholipid, protein

content, 987.
METHANOLYSIS, synthesis, keto, hydroxy fatty

METHEMOGLOBINEMIA, congenital, lipid composition, myelin, gray matter, white matter, 272.
METHIONINE, dietary omission and phosphatidylcholine biosynthesis in rat, 439.

METHYL STEROLS, oyster, column, Ag-TLC, GLC, MS, NMR, 1004. 24-METHYLCHOLESTEROL, in fungal spores, 375.

ungerminated chlamydospores, fungus, 949. (24-S)-24-METHYL-22-DEHYDROCHOLESTEROL, NMR spectra, 69. METHYL-2-HEXADECYNOATE, effect on hepatic

lipid metabolism, 141.
METHYL LINOLEATE, oxidation by singlet oxygen,

544. photo oxidation, 544. N-METHYL-N-NITROSOTOLUENE sulfonamide, dia-

zomethane, phthalic ester contaminant, 968. METHYL-9,15-OCTADECADIENOATE. See octa-

decadienoic acids.
METHYL-12,15-OCTADECADIENOATE. See octadecadienoic acids 13-METHYLTETRADECANOATE, triglyceride, syn-

thesis, and characterization, 572 13-METHYLTETRADECANOIC ACID, synthesis and characterization, 572. used for in vivo measurement of fatty acid mobility, MICE, tumor-bearing, serum, lipid mobilizing factor,

168.
MICELLES, mixed, lipids in binding, dietary fibers, cholestyramine, Sephadex, 1012.
MICHAELIS CONSTANTS, desaturation, palmitic, linoleic, eicosatrienoic acid, 100.
MICROSOMES, cow mammary tissue, carotenoid

content, 33.

content, 33.
liver, rat, preparation, desaturase assay, 100.
organ, lipid peroxidation, 315.
rat brain, liver, cholesterol epoxide formation, 705.
rat liver, biosynthesis, cholic acid, from tri- and tetracholestanoic acid, 113.
deschusition fatty acids affect traus. 18:1 isomers. desaturation fatty acids, effect trans-18:1 isomers.

EFA-deficient, desaturation of potential cis 18:1 isomers, 63. fatty acid desaturase, 690.

fatty acid desaturase, dietary trans acids, 1029. fatty acid desaturase, epinephrine, cAMP, 1064. fatty acid synthesis, 512. isolation, ethanol-fed rats, 263.

oxidation of steroids, 563.
phosphatidylcholine biosynthesis, 439.

rat mammary, phosphatidic acid phosphohydrolase, 26.

MID-BRAIN, developing rat brain, ketone bodies, cholesterol, fatty acids, 904.

MILK, cow, isolation lipoprotein lipase, 186. goat, origin of cholesterol, 853. human, cholesteryl esters, triglycerides, fatty acid profile, 972. human, trans fatty acids, 972

lipids in human (review), 345. rats, fatty acid composition, effect of diet, 276.

synthesis, 497.
MILK FAT GLOBULE MEMBRANE. See membrane, milk fat globule.
MITOCHONDRIA, bovine mammary, 497.
fatty acid elongation, reversal of fatty acid oxida-

tion, 175

isolation from hampster brown adipose tissue, 255. metabolism, (DL)-threo-9,10-dibromopalmitic acid, rat liver, biosynthesis, cholic acid, from tri- and tetra-

cholestanoic acid, 113. cytochromes, electron transport, dietary linoleic acid, 925.

fatty acid profile, enzymes, respiration, dietary fat, 918. swelling, dietary linoleic acid, 925

yeast, inner, outer membranes, isolation, 987. membranes, sterol, phospholipid, protein content,

respiration, marker enzymes, 987.
MIXED MICELLES, lipids in binding, dietary fibers, cholestyramine, Sephadex, 1012. MOLECULAR SPECIES, phosphatidylcholine, human

lung carcinoma, 616.

MONKEY, dietary lecithin and plasma lipids, 428.
plasma VLDL cholesterol, 549.

MONOACYLGLYCEROLS, GLC analysis, equivalent chain length, acetates and TMS ethers, 205. GLC separation, degree of unsaturation and posi-

tional isomers, 205. tional isomers, 205.
positional isomers, isolation by boric acid, TLC, 205.
thin-layer chromatography, 285.
See also monoglycerides.
2-MONOACYLGLYCEROLS, preparation, 285.
MONOACYLGLYCEROL KINASE, assay, 285.

Monochriysis lutheri. See algae.

MONOENOIC ACIDS, positional isomers, in liver and hepatoma lipids, acetylenic-acid-fed animals, 141.

MONOGALACTOSYLDIGLYCERIDE, symbiotic 200-

MONOGALACTOSYLDIGLYCERIDE, symniotic zoo-xanthellae, fatty acid profile, 799.

MONOGLYCERIDES, isomeric, TLC, quantitation, flame ionization detector, 875.

MONOLAYERS, phospholipid, and cholesterol, 524.

MONONUCLEAR CELLS. See cells, mononuclear.

MONONUCLEAR CELLS, buman cholesteryl ester acid

hydrolase, atherosclerosis, 1019.
MONOSACCHARIDES, in bovine optic nerve ganglio-

MOUSE ADIPOSE TISSUE, implantation, tumor-

bearing mice, 168.

MOUSE, genetically obese, lean, lipogenesis, dietary fat, fasting, 908.

ICOSA, intestinal, rat, metabolism of plasma saturated and unsaturated FFA, 75.

saturated and unsaturated FFA, 75.

MUSCLE, oyster, sterol and triacylglycerol content,
effect of physiological condition, 129.
pectoralis major, hen, fat content, effect, di-(2ethylhexyl)phthalate, 151.

MUSTARD Oll, dietary, human heart fatty acid
profile 988

MUSTARD OIL, dietary, numan near taity actor profile, 988.
lipolysis, rat heart homogenates, 962.
MUTAGENICITY, oxidized fat, hydroxy-, hydroperoxy fatty acids, 849.
MUTAGENICITY TEST, Ames Salmonella, micro-

somes, 849. MYCELIA, fu

MYCELIA, fungal, fractionation, ultracentrifugation, phospholipase activity, 830.
MYELIN, brain, human, lipids, mental retardation, congenital methemoglobinemia, 272.

rat brain, isolation of subfractions, 15.
rat brain, lipid extraction, 15.
rat brain, phosphoinositide distribution, 15.
MYOGLOBIN-NITRIC OXIDE, inhibition, lipid oxidation, 944. preparation, assay, 944.

NADH-FERRICYANIDE REDUCTASE, rat liver,

CCI4 poisoning, 631.

Nemobius fasciatus. See cricket.

NEOMYCIN COLUMN, isolation, di- and triphospho-

inositides, 15.
NEOPLASTIC CELLS, antioxidant artifact in media,

203.

NEPHROSIS, experimental, protein lipoprotein synthesis, perfused rat liver, 637.

NEPHROTIC RAT, liver biosynthesis, polar, neutral lipids, from water and palmitate, 108.

NEPHROTIC SYNDROME, puromycin, aminonucleoside-induced, hepatic lipoprotein synthesis, 858. rats, induction by puromycin aminonucleoside, 108.

NERVE, optic, bovine, gangliosides, composition, composition, characterization, 932.

NEURAMINIDASE, degradation, rat brain gangliosides, 1055.

sides, 1055.

ganglioside structural determination, 932.
NEUROBLASTOMA, mouse, cells, antioxidant artifact in media, 203.

Neurospora crassa. See fungi.
NEUTRAL LIPIDS, liver biosynthesis, from water,
palmitate, nephrotic rat, 108.

Leishmania donovant, incorporation of [1-14C]-

Letsimmala donovani, incorporation of [1-14C]octadecanol, 179.
TLC, quantitation flame ionization detector, 875.
Nicotiana tabacum, nystatin and amphotericin-Bresistant lines, 50.
NITRIC OXIDE-MYOGLOBIN, inhibition, lipid oxid-

ation, 944.
preparation, assay, 944.
p-NITROPHENYLPHOSPHOCHOLINE, as substrate

for phospholipase D assay, 594.
(2,Z)-6,22-NONACOSADIENE, cricket cuticle, 601.
(2)-7-NONACOSENE, cricket cuticle, 601.
NOREPINEPHRINE, stimulated lipolysis, heart, effect

of diet, 242.

NYSTATIN, isolation of resistant tobacco cell lines,

OBESITY, genetic, swine, lipoprotein characterization, 823.

VΙ

823.
human, indices of, 668.
plasma HDL, triglycerides, 668.
Zucker rat, fatty acid, biosynthesis, liver, adipose tissue, 993.
OCCUPATION, plasma cholesterol, triglycerides, 895.
OCTADECADIENOIC ACID, methyl esters, autotrans, dietary, rat liver microsomal fatty acid desaturase, 1029.
9-trans. 12-trans OCTADECADIENOIC ACID, diet-

9-trans, 12-trans OCTADECADIENOIC ACID, dietary, rat lung fatty acid profile, 975.

See also fatty acids, trans.

OCTADECANOIC ACIDS, mono-, di-, tri-, tetrahydroxy, mutagenicity, 849.

OCTADECANOIL, incorporation into, Leishmania donovani lipids, 179.

OCTADECENOIC ACID, trans, dietary, rat liver microsomal fatty acid desaturase, 1029.

9-trans OCTADECENOIC ACID. See fatty acids,

trans. [1-14C]OCTADECENOIC acids, preparation, 306. OCTANOATE, oxidation in mammary tissue, 497. OLEATE, autoxidation, 298.

oxidation in mammary tissue, 497.

oxidation in mammary insue, 497.
oxidation rate, 379.
OLEIC ACID, incorporation, utilization, human skin
fibroblasts, 838.
OLIVE OIL, dietary, effect on fatty acids of blood
lipids and lipoproteins, 216.

dietary, effect serum concentration and composition of VLDL, LDL, and HDL, 216. dietary, fatty acid profile, rat heart phospholipids,

Oncorhynchus kisutch. See salmon, coho.
ONION, prostaglandin A1, 292.
OPTIC NERVE, bovine, gangliosides, composition,

characterization, 932.

ORAL CONTRACEPTIVES, plasma cholesterol, triglycerides, 895.

See also contraceptives, oral.

Oryza sativa, seed oil, identification, 24(E)ethylidene sterols, 22.

OTTER, squalene in skin surface lipids, 1062.
OXIDATION, carotene, colorimetric assay, 944.
fat, peroxide value, colorimetric, micro, aluminum chloride catalyst, 965.

free radical, polyunsaturated lecithins, 163. linoleic acid, diene conjugation assay, 944. lipids, biological effects, 485.

lipid, nitric oxide-myoglobin inhibition, 944. lipid, thiobarbituric acid test for hydroperoxides, 137.

methyl linoleate, 544.
synthesis, keto, hydroxy fatty acids, 881.

OXIDIZED FAT, dietary, and lipogenic enzymes, 371.
fractions, mutagenicity, 849.
17-OXOSTEROIDS, urine, assay techniques, 710.

OXYGEN, singlet, methyl linoleate oxidation, 544.

OYSTER, fatty acids of diet, 356.

OYSTER STEROLS, column, Ag-ion, oyster sterols,

1004.

tissues, distribution of neutral lipids, 129.
OZONOLYSIS, cricket cuticle alkenes, 601.
cis-hexadecenoic acid isomers, rat liver, hepatoma, 876.

PALM OIL, protected, dietary, lipogenesis, ovine tissues, 644. PALMITATE, oxidation in mammary tissue, 497. oxidation in rat kidney, 497.

JH-PALMITATE, incorporation into polar, neutral lipids, nephrotic rat liver, 108.
PALMITIC ACID, desaturation, liver microsomes, effect of trans-18:1 isomers, 100.

1-PALMITOYL-2-OLEOYL-sn-3-PHOSPHOCHOLINE

avian embryo brain, 279.
PANCREATIC COLIPASE, porcine. See colipase,

porcine, pancreatic.
PEANUT OIL, dietary, human heart fatty acid profile,

lipolysis, rat heart homogenates, 962. (Z,Z)-6,9-PENTACOSADIENE, nymphal cricket, 601. 1-PENTADEYNE, use in synthesis of 2-hexadecynoic acid, 141.
PENTAFLUOROPHENYLHDRAZIDES,

GLC, electron capture detection, 734.
2-PENTYLFURAN, GLC, lipoxygenase-linoleate de-composition products, 45.
PEROXIDATION, biological effects (review), 485.

fat, peroxide value, colorimetric, micro, aluminum chloride catalyst, 965. lipid, and vitamin E, 315. species susceptibility, 315. PEROXIDES, removal from phosphatidylcholine, 591. PEROXIDE VALUE, colorimetric, micro, aluminum chloride catalyst, 965. PHEROMONES, from weevil and rape lipids, 580. PHOSPHATASE, acetyl CoA carboxylase dephosphorylation, heat, rat epididymus, 1067. PHOSPHATIDATE PHOSPHOHYDROLASE, activity in porcine lamellar bodies. 447.

PHOSPHATIDATE PHOSPHOHYDROLASE, activity in porcine lamellar bodies, 447. rat lung lyosoomes, 447. PHOSPHATIDIC ACID, coho salmon liver, content and half-life, 80. distribution, rat brain myelin subfractions, 15. formation in rat brain, 285. isolation by TLC, 15. PHOSPHATIDIC ACID PHOSPHOHYDROLASE, assay, microsomal, 26. microsomal, lactating rat mammary, 26. PHOSPHATIDYLCHOLINE, sn-1-acyl-2-[1-14C] linolevil, synthesis, 186.

HOSPHATIDY LCHOLINE, 37-1-367-2-11-1-1, into-leyl, synthesis, 186. autoxidation, isolation products, HPLC, 91. avian embryo brain, 279. biosynthesis in rat, effect of diet, 439. brain fatty acid composition, myelin, gray and white

matter, 272.

coho salmon liver, content and half-life, 80 conto salmon liver, fatty acid composition, 80. content, control, hepatoma, host liver, effect of acetylenic acid, 144. content of 30:3 \(\Delta \cdot \), 9,23, marine sponge, 200. content, rat liver, microsomes, effect of diet, ethanol,

dilinoleyl, isolation products, HPLC, 91.

dinnoley1, isolation products, HPLC, 91.
human lung carcinoma, 616.
hydrolysis in dog heart, 534.
incubation with HDL2, redistribution of apo-A-I, 86.
isolation, one-dimensional TLC, 61.
Leishmania donovani, time course, octadecanol
incorporation, 179.

monolayer viscosity, and cholesterol, 524. oxidized and unoxidized, isolation by HPLC, 91. 1-palmitic-2-linoleic, synthesis, characterization, 163.

peroxide removal, 591. pig lymphocytes, 475. rat heart, fatty acid profile, dietary fat, 651. soy, molecular species, reverse-phase HPLC,

soy, purification, column chromatography, 91. stereospecific analysis, 279.

stereospecific analysis, 279.
synthetic, interaction with human HDL2, 86.
synthetic, preparation of dispersions, 86.
PHOSPHATIDYLETHANOLAMINE, brain fatty acid
composition, myelin, gray and white matter, 272.
content, control, hepatoma, host liver, effect of
acetylenic acid, 141.
content of 30:3 \(\Delta 5,9,23 \) marine sponge, 200.

content of 30:3 Δ 5,9,23 marine sponge, 200. content, rat liver, microsomes, effect of diet, ethanol, 263.

coho salmon liver, content and half-life, 80. coho salmon liver, fatty acid composition, 80. fatty acid composition, liver and hepatoma, methyl-2-hexadecynoate-fed animals, 141.

hydrolysis in dog heart, 534. isolation, one-dimensional TLC, 61.

Leishmania donovani, fatty acid composition, 179, time course, octadecanol incorporation, 179, incorporation, 179.

monolayer viscosity, and cholesterol, 524.
pig lymphocytes, 475.
rat heart, fatty acid profile, dietary fat, 651.
PHOSPHATIDYLETHANOLAMINE METHYLTRANSFERASE, assay in rat liver microsomes,

PHOSPHATIDYLDIMETHYLETHANOLAMINE METHYLTRANSFERASE, assay in rat liver micro-

somes, 439.
PHOSPHATIDYLGLYCEROL, human lung carcinoma,

isolation, one-dimensional TLC, 61.
PHOSPHATIDYLINOSITOL, coho salmon liver, content and half-life, 80.
content, control, hepatoma, host liver, effect of

acetylenic acid, 141.

distribution, rat brain myelin subfractions, 15. fatty acid composition, liver and hepatoma, methyl-2-hexadecynoate fed animals, 141.

human lung carcinoma, 616.

isolation, one-dimensional TLC, 61.
isolation by TLC, 15.
PHOSPHATIDYLSERINE, coho salmon liver, content and half-life, 80.

anti manifile, so. content, control, hepatoma, host liver, effect of acetylenic acid, 141. content of 30:3 Δ5,9,23, marine sponge, 200. isolation, one-dimensional TLC, 61.

PHOSPHOFRUCTOKINASE, activity in rat hepatocytes, 504.

PHOSPHOHYDROLASE, phosphatidic acid, assay, microsomal, 26. phosphatidic acid, microsomal, lactating rat mam-

mary, 26.
PHOSPHOINOSITIDES, distribution, rat brain myelin

subfractions, 15.
PHOSPHOLIPASE, activity, assay, 830.
Neurospora crassa submycelial fraction, 830.

PHOSPHOLIPASE A, rat liver mitochondria, dietary

PHOSPHOLIPASE A₁, activation in lipoprotein lipase by apoprotein C-II, 186. activity in fungal mycelia, 830.

assay, 186.
PHOSPHOLIPASE A2 activity in funal mycelia, 830.
PHOSPHOLIPASE D activity in fungal mycelia, 830.
spectrophotometric assay, 594.
PHOSPHOLIPIDS, liver biosynthesis, from water,

palmitate, nephrotic rat, 108.
content in brain myelin, white matter, gray matter, control and abnormal, 272.
content of VLDL, LDL, HDL, effect of dietary fat,

content, yeast mitochondrial membranes, 987.

Cryptiecodinium cohnii, 694.
ether, pig mesenteric lymph node lymphocytes, 475.

FA composition, rat liver, plasma, effect of dietary

iron, 55 fatty acid profile, rat heart, dietary rapeseed, sun-

flower, coconut oils, 938. hepatic, level, effect of dietary vitamin A and cholesterol, rat, 157. high density lipoprotein subfractions, effect of diet, 230.

human lung cells, 412. human milk, 345.

human plasma, dietary cts and trans-12-octadece-noic acids, 864. human plasma, fatty acid profile, dietary trans acids, 864. human skin fibroblasts, incorporation, oleic, linoleic acid, 838.

improved separation by TLC, 61.

Leishmania donovani, isolation by thin layer chrom-

atography, 179. lipoproteins, normal and obese swine, 823. membrane fluidity, endoplasmic reticulum,

1037.

mixed micelles, binding, dietary fibers, cholestyr-amine, Sephadex, 1012. molecular species, human lung carcinoma, 616.

pig lymphocytes, structure, 475.
plasma, and dietary lecithin, 428.
rabbit platelet membrane, and dietary frat heart, fatty acid profile, dietary fat, 651. and dietary fat, 604.

rat liver, 328. rat, lung, fatty acid profile, dietary trans acids, 975. rat testis, 389.

serum level, effect of dietary butter, olive or canbra oil, 216.

out, 216.

surface viscosities of monolayers, 524.

VLDL subclasses in human plasma, 456.

PHOSPHCIPID DISPERSIONS, preparation, 86.

PHOSPHCLIPID PROFILE, rat heart, quantitative TLC, flame ionization detection, 651.
PHTHALATE, di(2-ethylhexyl), effect on metabolism, laying hen, 151. lipid

PHTHALIC ESTER, in diazomethane from N-methyl-N-nitrosotoluene sulfonamide, GC-MS, 968. [1-14C] PHYTANIC ACID, mass spectra, 19. partial synthesis from phytol, 19. use in diagnosis, Refsum's disease, 19. PHYTODENOIC ACID, formation, 468. PHYTOL, synthesis of [1-14C] phytanic acid from, 19. Phytolacea americana. See pokeweed seed. Phytophthora cactorum. See fungi. PHYTOSPHINGOSINE, spectrophotometric determination, molar adsorption coefficients, 194. PHYTOSTEROLS, human milk, 345. PIG, ether phospholipids in lymphocytes, 475. PIG, ether phospholipids in lymphocytes, 475. lung, lamellar body enzymes, 447. lung mitochondial enzymes, 447. PIG HEART. See heart, pig. PLACENTA, rat, incorporation and transport of trans fatty acids, 1023.

PLANTS, cutin fatty acids, synthesis, ethers, esters, pyrtolides, MS, 881.

PLASMA, human, inhibition of platelet aggregation, 472. human lipoprotein, enzyme suppression in trigly-ceridemia, 456. human, lipoproteins, lipids, dietary trans octa-decenoic acids, 864. LCAT activity, inhibition, anesthetics, 811. LDL lipoprotein, 464. lipids and dietary lecithin in monkey, 428. lipoprotein, as inhibitor of hepatic sterol synthesis, lipoprotein structure (review), 464. rat, fasting, free fatty acid composition, 75.
rat, FA composition of phospholipid, TG, effect of dietary iron, 55. Gletary Iron, 55.
VLDL, monkey, 549.
PLASMA CHOLESTEROL. See cholesterol, plasma.
PLASMA FREE FATTY ACID, saturated, unsaturated, intestinal metabolism, 75.
PLASMA LIPIDS, hen, effect di-(2-ethylhexyl)phthalate, 151. phthalate, 131.
human, age, sex, race, education, occupation, exogenous sex hormone use, 895.
PLASMALOGEN, Letshmanla donovani, incorporation of [1-14C] octadecanol, 179.
PLASMAPHERESIS, nephrosis, protein, lipoprotein synthesis, perfused liver, 637.
PLASTICIZER, effect on lipid metabolism, laying hen, 151. PLATELET, aggregation, inhibition, 472. membrane fluidity and dietary fat, 604. membrane, fluidity measurements, 604. Pocillopora damicomis. See zooxanthellae. POKEWEED SEED, triterpene alcohols, 407 POLARIMETRY, methoxy fatty acids, 1051.
POLARIZATION, fluorescence, 694.
POLYUNSATURATED FAT, effect on composition of HDL subfractions, 230.
POLYUNSATURATED FATTY ACIDS, and membrane fluidity, 604. mobilization, tumor-bearing mice, 168.
POLYUNSATURATED LECITHINS, free radical oxidation, 163 PORCINE PANCREATIC COLIPASE. See colipase, porcine, pancreatic.
PORIFERASTEROL, NMR spectra, 69.
POSITIONAL ISOMERS, monoenoic acids, in liver and hepatoma lipids, acetylenic-acid-fed animals, 141. PREMENOPAUSAL WOMEN, cholesteryl ester hydrolase, mononuclear cells, effect of oral contraceptives, 39.
PRISTANYL IODIDE, synthesis and physical con-

PRISTANTE 19.
PRISTANYE [14C] NITRILE, synthesis and physical constants, 19.
PROCAIRE, See anesthetics, local.
PROCAIRE, See anesthetics, padiaimmunoassay, plasma, pre-

menopausal women, 39.

PROLACTIN, medium chain fatty acid synthesis, mouse mammary gland explants, 913.

PROSTAGLANDIN A1, separation and identification in onion, 292.

PROSTAGLANDINS, derivatives, diazomethane, ph-

thalic ester contaminant, 968. production in human platelets, 472. serum, species variation, 597. PROTEIN-BINDING ASSAY, urinary hormonal steroids, 710.
PROTEIN, content VLDL, LDL, HDL, effect of dietary fat, 216. content, yeast mitochondrial membranes, hepatic synthesis, puromycin aminonucleoside-induced nephrotic syndrome, 858. high density lipoprotein subfractions, effect of diet, 230. 230.
lipoproteins, normal and obese swine, 823.
plasma, synthesis, perfused rat liver, experimental nephosis, 637.
VLDL subclasses in human plasma, 456.
PROTEINUREA, induction in rat with puromycin aminonucleoside, 108. Pseudoisochrysis paradoxa. See algae. PUROMYCIN AMINONUCLEOSIDE, induction of nephrotic syndrome, rats, 108. nephrosis, protein, lipoprotein synthesis, perfused liver, 637. nephrotic syndrome, hepatic lipoprotein synthesis, Pyramimonas grossi. See algae, marine. Pyraminonas virginica. See algae.
5-PY ROPHOSPHOMEVALONATE DECAROXYLASE, role in regulation, hepatic cholesterol synthesis, PYRROLIDES, cutin fatty acids, MS, 881.
PYRROLIDIDE, 30:3 Δ5,9,23, preparation, isolation, analysis, GLC-MS, 200. R RACE, plasma cholesterol, triglycerides, 895. RADIOIMMUNOASSAY, serum prostaglandins of different species, 597.
RANDOMIZATION, effect on oxidation rates, 379.
RAPE, seed, seedpod cuticular lipids, 580.
RAPESEED OIL, dietary, effect on cardiac lipid and lipolysis, 242. dietary, effect on fatty acids of blood lipids and lipoproteins, 216. dietary, fatty acid profile, rat heart phospholipids, high erucic acid, fatty acid composition, 242. lipolysis, rat heart homogenates, 962. sunflower oil, coconut oil, rat heart lipid fatty acids, RAT, brain acylglycerol kinases, 285. cholesterol-fed, vitamin-A-induced hypertriglyceridemia, 157.
desaturation of fatty acid isomers, 306.
effect of colestipol on sterol metabolism, 434.
effect of dietary ethanol and arachidonate, 328.
effect of dietary iron on EFA deficiency, 55.
glycolysis in hepatocytes, 504.
lactating, mammary tissue, phosphatidic acid phosphohydrolase, 26.
lipolysis in lung, and cigarette smoke, 539.
liver phosphatidylcholine biosynthesis and diet, 439.
palmitate oxidation in kidney, 497.
renal tissue osmolality, 519.
Triton WR 1339 effect on lung enzymes, 447.
urea and lipogenesis in renal papillae, 519.
weight gain and dietary ethanol, 328.
Zucker, lean, obese, fatty acid biosynthesis, liver, demia, 157. Zucker, lean, obese, fatty acid biosynthesis, liver, adipose tissue, 993.
RAT BRAIN. See brain, rat.
RAT ERYTHROCYTES. See erythrocytes, rat.
RAT INTESTINAL MUCOSA. See intestinal mucosa, rat.
RAT LIVER. See liver, rat.
RAT LIVER MICROSOMES. See microsomes, rat iver.

RAT MAMMARY. See mammary gland, rat.

RAT PLASMA. See plasma, rat.

RAT UTERUS. See uterus, rat.

RED BLOOD CELLS, analysis of α-tocopherol by

REDUCTASE, cytochrome β_5 , deficiency, lipids of

м١

myelin, gray matter, white matter, 272. REFSUM'S DISEASE, diagnosis, use of [1-14C] phytanic acid, 19.
RESPIRATION, rat liver mitochondria, dietary fat,

RESPIRATORY CARBON DIOXIDE, collection from

mice, 168.
RETINOIC ACID, effect on serum and liver lipids, cholesterol-fed rats, 157.

contestero-red rats, 15%.
RETINOL, status, effect on lipofuscin formation, 10.
RETINYL ACETATE, effect on serum and liver lipids, cholesterol-fed rats, 157.
RICE BRAN OIL, identification, 24(E)-ethylidene

sterols, 22.
RICE GERM LIPOXYGENASE. See lipoxygenase, rice germ.

S

Saccharomyces cerevisiae. See yeast.
SAFFLOWER OIL, grignard degradation, GLC analysis of acetates of diacylglycerols, 205.

sis of acetates of diacylglycerols, 205. lipolysis, rat heart homogenates, 962. protected, dietary, iipogenesis, ovine tissues, 644. SALMON, coho, fatty acid metabolism, 80. liver, phospholipids, composition and half-lives, 80. turnover, phospholipid linolenic acid, 80. SARCOLEMMA, dog, isolation, 534. SEED OIL, gourd, isolation, 10-a-cucurbita-5,24-dien-3-6-01, 122. SERTOLI CELLS, rat, metabolism of polyunsaturated fatty acids. 389.

fatty acids, 389.

SERUM, cholesterol, in rat, effect of colestipol, 434.
cholesterol transfer to milk, goat, 853.
lipoproteins and lung cholesterol metabolism in rat,

401.

mice, tumor-bearing, lipid mobilizing factor, 168. rat, fatty acid composition, effect of diet, 236. rat, lipid content, effect vitamin A, cholesterol-fed

rat, lipid content, effect vitamin A, cholesterol-red rats, 157.

SERUM LIPIDS, rat, composition, effect of dietary protein, lysine, and arginine, 95.

SEX, plasma cholesterol, triglycerides, 895.

SEX HORMONES, exogenous, plasma cholesterol, triglycerides, 895.

SHEA BUTTER, triterpene alcohols, 407.

SHEA FAT, spinasterol, identification by NMR, 66.

SHEEP, tissues, lipogenesis, protected dietary fat, 644.

SIALIC ACID, in bovine optic nerve cangliosides, 932.

932. content brain myelin, white matter, gray matter, control and abnormal, 272.

β-SITOSTEROL, content, control and polyene resistant tobacco calluses, 50.
effect on cholesterol adsorption by rat, 395.

NMR spectra, 69.

use as marker for cholesterol adsorption, 133. SKELETAL MUSCLE, sheep, lipogenesis, protected dietary fat, 644.

SKIN, mouse, uptake of [14C]jojoba wax, -triolein, 889.

mouse, UV-irradiated, cholesterol epoxide, hydrase, 705. surface lipids, squalene, otter, beaver, kinkajou,

1062. surface lipids, TLC, GLC, IR, 1062.
tail, rat, fatty acid profile, EFA-deficiency, dietary DDT, 815.

SKIN FIBROBLASTS, human, incorporation, use,

oleic, finoleic acid, 838.

SMALL INTESTINE, guinea pig, bile salt content, effect of dietary taurine, 225.

SODIUM BOROHYDRIDE, reduction, fatty acid

hydroperoxide, 1051. SOLANACEAE SEED OILS, identification, 24(E)-

ethylidenesterols, 22. SOY PHOSPHATIDYLCHOLINE, purification, col-

umn chromatography, 91.
SOYBEAN LIPOXYGENASE, oxidation of steroids, 563.

See also lipoxygenase, soybean. SOYBEAN OIL, fatty acid profile, rat heart phospholipids, 651.

peroxide value, colorimetric, micro, aluminum chloride catalyst, 965. SPECTRA, fluorescence, testicular tissue extract, 236

SPECTRA, infrared, 5α-bile acid conjugates, 805. zation, 10α-cucurbita-5-24-dien-3-β-ol, characterization. from gourd, 122.

cyclopentenoate autoxidation products, 298. hydroxyesters, 379.

a-hydroxystearyl CoA, 479.

methyl hydroxyoctadecadienoates, 544. methoxy fatty acids, 1051. triterpene alcohols, 407.

skin surface lipids, 1062.

skin surface lipids, 1062. steroid glucosiduronates-lecithin interaction, 999. sterols of insects, algae, 719. mass, acetates, fucosterol, 28-isofucosterol, citrostadienol, 28-isocitrostadienol, 22. autoxidized fats, hydroxydienoic acids, 661. chemical ionization, hydroxy fatty acids, TMS, heptafluorobutyrates, 1044. chemical ionization, steroids, 756.

characterization, 10a-cucurbita-5,24 from gourd, 122. (DL)-threo-9,10-dibromopalmitate, 255. 10a-cucurbita-5, 24-dien-3-β-ol,

(DL)-fireto-9, 10-dipromopalmitate, 255. dolichol homologs, identification, 191. ethers, esters, pyrrolides, cutin fatty acids, 881. fatty acids, sterols, fungus, 949. a-hydroxystearyl CoA, 479. lactones from horse skin, 323.

lipoxygenase-linoleate decomposition products, 45. methoxy fatty acids, 1051. trimethylsilyloxystearate, derivatives of methyl linoleate hydroperoxides, 1.

oyster sterols, 1004.

oyster sterois, 1004.
phthalic ester in diazomethane, 968.
phthanic acid, [1-14C] phytanic acid, 19.
30:3 \(\text{\$\Delta}\), 23 pyrrolide, 200.
steroids, cholesterol oxidase products, cyclic derivatives, 745.
sterols, insects, algae, 719.
triterpene alcohols, 407.

unsaturated 5-β-cholanoic acids, 770. mass, GLC, fatty acids, 572. hydroxystearates from hydroperoxides, 587.

linolenate oxidation products, 468, prostaglandin A1 in onion, 292 steroid oxidion products, 563. sterols, bile acids, ether derivatives, 764. sterols from spores of fungi, 375.

nuclear magnetic resonance, acetates, fucosterol, 28isofucosterol, citrostadienol, 28-isocitrostadienol,

characterization, 10-α-cucurbita-5, 24-dien-β-ol, from gourd, 122. clionasterol, 69.

24-ethyl cholesterol, 69. 24-ethyl-22-dehydrocholesterol, 69.

high resolution, scallop C-24 epimeric sterols, identification, 69. identification of chondrilla sterol, 66.

methoxy fatty acids, 1051.
(24S)-24-methyl-22-dehydrocholesterol, 69.
methyl hydroxyoctadecadienoates, 544.

oyster sterols, 1004, poriferasterol, 69. seed oil C-24 epimeric sterols, identification, 66.

sitosterol, 69. stigmasterol, 69.

nuclear magnetic resonance, heptadecane, from algae, 609. proton magnetic resonance, 5a-bile acid conjugates, 805

lactones from horse skin, 323, sterols, insects, algae, 719. triterpene alcohols, 407.

ultraviolet, colipase tyrosines, effect of Triton X-100,

oc. cyclopentenoate autoxidation products, 298. phosphatidylcholine, 591. sterols, insects, algae, 719. UV-visible, phospholipase D assay, 594. visible, cytochromes, rat liver mitochondria, 925. SPERM WHALE OIL, grignard degradation, GLC

analysis of acetates of monoacylglycerols, 205. SPHINGOMYELIN, brain fatty acid composition, myelin, gray and white matter, 272. coho salmon liver, content and half-life, 80.

cono salmon liver, content and half-life, 80.
content, control, hepatoma, host liver, effect of
acetylenic acid, 144.
isolation, one-dimensional TLC, 61.
rat heart, fatty acid profile, dietary fat, 651.
SPHINGOSINE, spectrophotometric determination,
molar adsorption coefficients, 194.
SPINASTEROL, identification in seed oils, 66.
SPLEEN, mouse, uptake of [14D]jojoba wax, -triolein, 889.

lein, 889.

seen, 889.

SPONGE, marine, Chondrilla nucula, 5,9,23-tria-contatrienoic acid, content, 200.

SPONGE CUCUMBER, seed oil, spinasterol, identi-fication by NMR, 66.

SQUALENE, inhibition of conversion to cholesterol,

555.
skin surface lipids, otter, beaver, kinkajou, 1062.
3H-SQUALENE, preparation, 555.
STEARIC ACID, decarboxylation, algae, 609.
desaturation, liver microsomes, diabetic rat, 953.
STERCULIC ACID, in durian seed, 452.
STERCIDS, chemical ionization-MS, 756.
composition, structure, X-ray diffraction, 793.

composition, structure, X-ray diffraction, 793. GC-MS, cholesterol oxidase products, cyclic derivatives, 745. GLC, electron-capture detection, relative molar

responses, 734.
GLC, flophemesyl ether, t-buflophemesyl ethers, pentafluorophenylhydracides, halogenated aromatic boronic acids, 734.

glucosiduronates, paper chromatography, lecithin effect, 999.

insects, algae, isolation, identification, 719.
oxidation by soybean lipoxygenase and rat liver microsomes, 563.

urinary, hormonal, assay techniques, 710. STEROLS, conformational analysis, X-ray crystallography, 783.

content, control and polyene resistant tobacco calluses, 50.

content, oyster tissues, effect of physiological condition, 129.

content, yeast mitochondrial membranes, 987. dimethylethylsilyl ethers, GC-MS-computerized, 764. effect on cholesterol adsorption by rat, 395. epimeric, identification, high resolution

spectroscopy, 69.
epimeric, identification by proton nuclear magnetic resonance spectroscopy, 66.
24(E)-ethylidene, Solanaceae seed, rice bran oil, 22.

24(E)-ethylidene, Solanaceae seed, rice bran oil, 22. fecal, isolation and quantitation, 434. in fungus spores, effect of germination, 375. metabolism in rat, effect of colestipol, 434. model membranes, fluorescence polarization, 694. oyster, column, Ag-TLC, GLC, MS, NMR, 1004. ungerminated chlamydospores, fungus, 949. STERYL ESTERS, chemical ionization, MS, 756. content of 30:3 Δ-5,9,23, marine sponge, 200. Leishmania donovani, incorporation of [1-14C]-octadecanol. 179.

octadecanol, 179. STERYL GLYCOSIDES, chemical ionization, MS,

STIGMASTEROL, content, control and polyene-resistant tobacco calluses, 50. NMR spectra, 69.

STREPTOZOTOCIN, diabetes, rat, liver microsomal fatty acids, desaturation, 953.
SUCCINATE CYTOCHROME c REDUCTASE, yeast

mitochondrial membranes, 987. SUCCINIC DEHYDROGENASE, rat liver mitochondria, dietary fat, 918.

SULFATIDES, hydroxy fatty acid composition, human brain, 272. SUNFLOWER OIL, dietary, effect on cardiac lipid and lipolysis, 242. rapeseed oil, coconut oil, rat heart lipid fatty acids,

938 SUPEROXIDE DISMUTASE, removal of peroxides from phosphatidylcholine, 591. SURVEYS, plasma cholesterol, triglycerides, man, 895.

SWINE, normal, obese, lipoprotein characterization,

SYNTHETASE, fatty acid, activity, rat liver, effect of diet and ethanol, 263. fatty acid, assay, rat liver, microsomes, 263.

rat fatty acid profile, EFA-deficiency, TAIL SKIN. dietary DDT, 815. TALLOW, beef, d

LLOW, beef, dietary, cy transport, mitochondria, 925 cytochromes, electron beef, dietary liver mitochondria fatty acids, enzymes, respiration, 918.

dietary, lipogenesis, lean, obese mouse, 908, protected, dietary, lipogenesis, ovine tissues, 644. TAURINE, dietary, effect on bile acid metabolism,

guinea pig, 225.
TAUROCHOLATE, adsorption by activated charcoal,

365.
TEA SEED, triterpene alcohols, 407.
oil, spinasterol, identification by NMR, 66.
TESTES, lipid peroxidation and vitamin E, 315.
mouse, uptake of [14C]jojoba wax, triolein, 889.
rat, fatty acid composition, effect of diet, 236.
rat, fluorescence spectra of extract, 236.

age-related fluorescent analysis, isolation.

rat, isolation, analysis, age-related indirection substances, 236.
rat, metabolism of polyunsaturated fatty acids, 389.
TETRACAINE. See anesthetics, local.
TETRACOSADIENOIC ACID, 14C, rat erythrocytes,

TETRACOSADIENOIC ACID, 14C, rat erythrocytes, isolation, TLC, 686.
TETRACOSAMONOENOIC ACID, 14C, rat erythrocytes, isolation, TLC, 686.
3,7,11,15-TETRAMETHYLHEXADECAN-1-[14C]OIC ACID. See [1-14C]phytanic acid.
THALAMUS, developing rat brain, ketone bodies, cholesterol, fatty acids, 904.
Thea sinensis. See tea seed.
THIORA BRITURICA CID. TEST. for hydroperoxides.

THIOBARBITURIC ACID TEST, for hydroperoxides,

coloring conditions, 137.

THIOLASE, 3-ketoacyl-CoA, activity, pig heart homogenate and mitocondrial acetive powder, 175.

(DL)-THREO-9,10-DIBROMOPALMITATE, mass

(DL)-THREO-9,10-DIBROMOPALMITIC ACID, synthesis, acid, choloride, carnitine, 255.
THYMIC LYMPHOMA, mouse, effect on fatty acid

mobilization, 168.

TISSUE, human, dolichol analysis of HPLC, 191. TISSUE CULTURE, human skin fibroblasts, fatty acid metabolism, 838. mouse mammary gland, medium chain fatty acid

synthesis, 913.
TISSUE FLUORESCENCE, extraction and quantita-

tion, 10. isolation, nystatin and amphotericin-B-resistant lines, 50.
a-TOCOPHEROL, analysis in red blood cells by GLC,

Trans FATTY ACIDS, desaturation in rat liver, 306. human milk, 345.

isomers, effect on desaturation by liver microsomes, 100. See also fatty acids, trans.
5,9,23-TRIACONTATRIENOIC ACID, content, mar-

ine sponge, Chondrilla nucula, 200.
TRIACYLGLYCEROLS, analysis of MG and DG grig-

nard degradation products by GLC, 205.

nard degradation products by GLC, 205. biosynthesis, nephrotic rat liver, 108. carbon number distribution, hepatoma and liver, acetylenic-acid-fed animals, 141. content, control and hepatoma host liver, effect of dietary methyl-2-hexadecynoate, 141. content of 30:3 \$\Delta\$-5,9,23, marine sponge, 200.

content, oyster tissues, effect of physiological con-dition, 129.

content, rat liver, microsomes, effect of diet, ethanol, content, VLDL, LDL, HDL, effect of dietary fat,

216. fatty acid composition, liver and hepatoma, methyl-2-hexadecynoate-fed animals, 141 high density lipoprotein subfractions, effect of diet, 230

hydrolysis, cardiac, erucic-acid-induced alterations,

Leishmania donovani, time course, octadecanoate incorporation, 179, plasma, level, effect of diet, 230, serum level, effect of dietary butter, olive or canbra

oil, 216. oil, 216.
serum, level, effect of dietary vitamin A and cholesterol, rat, 157.
See also triglycerides.
[14C]TRIACYLGLYCEROL, mass and radioactivity
from charred TLC plates, 269.
TRIACYLGLYCEROL LIPASE, assay, 186.
Tridacna crocea. See 200xanthellae.

masiema. See zooxanthellae.

TRIERUCIN, dietary, effect on cardiac lipid and lipolysis, 242.

inpolysis, 242.
lipolysis, rat heart homogenates, 962.
TRIGLYCERIDES, fatty acid composition, rat liver, plasma, effect of dietary iron, 55.
fatty acid profile, rat heart, dietary rapeseed, sunflower, coconut oils, 938.

human milk, fatty acid profile, 972. human plasma, dietary cis and trans-12-octadecanoic acids, 823, 864. human plasma, fatty acid profile, dietary trans acids.

human skin fibroblasts, incorporation, oleic, linoleic

acid, 838. lipoproteins, normal and obese swine, 823.

plasma, and dietary lecithin, 428.

plasma, human, age, sex, race, education, occupation, exogenous sex hormone use, 895. human lung cells, 412. lypolysis in rat lung, and cigarette smoke, 539.

molecular species, argentation, TLC, 677.
molecular species, secretion, hepatocytes, fatty acid stimulation, 677.

plasma, HDL, obesity, 668.
plasma, transfer to adipose tissue, inhibition Triton
WR 1339, 993.

rat liver, 328. rat lung, fatty acid profile, dietary trans acids, 975. rat testis, 389.

structure and oxidation rate, 379.

synthesis in rat liver, 371.

TLC, quantitation, flame ionization detector, 875.

VLDL subclasses in human plasma, 456.

TRIMETHYSILYL ETHER, derivatives of mono- and

diacylglycerols, separation by GLC, 205. hydroxy fatty acids, capillary GC-MS, 1044. RIOLEIN, lipolysis, rat heart homogenates, TRIOLEIN, lipolysis,

subcutaneous injection, adsorption, tissue distribu-tion, mouse, 889.
3,11,20-TRIOXOPREGN-4-EN-21-YL-β-D-GLUCOPY-RANOSIDURONIC ACID. See steroid glucosid-

TRIPHOSPHATIDYLINOSITOL, distribution, rat brain myelin subfractions, 15.
TRIPHOSPHOINOSITOL, isolation, column chroma-

tography, 15.
TRITERPENE ALCOHOLS, identification, 407.

TRITON X-100, effect on tyrosine UV spectra of colipase, 6.

interaction with colipase, 6.

TUMOR-BEARING MICE, serum, lipid mobilizing factor, 168.

ULTRACENTRIFUGATION, fungal mycelia fractionation, 830.

atton, 830.
lipoprotein isolation, rat liver supernatant, 858.
preparative, isolation product, HDL2 phosphatidylcholine incubation, 86.
swine lipoproteins, 823.
VLDL subclasses, 456.

VLDL subclasses, 456.
ULTRAVIOLET IRRADIATION, mouse skin, cholesterol epoxide, 705.
UREA, rat kidney lipogenesis, 519.
URSODEOXYCHOLIC ACID, content of guinea pig gall bladder, small intestine, large intestine, pool size, effect of dietary taurine, 225.
UTERUS, rat, autofluorescence, vitamin E deficiency,

rat, lipofuscin, vitamin E deficiency, 10.

VITAMIN A, effect on serum and liver lipids, cholesterol-fed rats, 157.
hepatic, level, effect of dietary vitamin A and cholesterol, rat, 157.
serum, level, effect of dietary intake and cholesterol.

terol, rat, 157.

terol, rat, 157.
status, effect on lipo fuscin formation, 10.
VITAMIN B12, dietary omission and phosphatidylcholine biosynthesis in rat, 439.
VITAMIN D, dependent calcium absorption, inhibition by EFA restriction, 251.
VITAMIN E, deficiency, lipofuscin formation, 10.
determination of a-tocopherol in erythrocytes by

GLC, 135. and lipid peroxidation in organ microsomes, 315.

WATER BALANCE, rat kidney, 519.
3H-WATER, incorporation in polar, neutral lipids, nephrotic rat liver, 108.
WAX ESTERS, cuticular lipids of weevil and rape,

Sev. Leishmania donovani, incorporation [1-14C] octadecanol, 179.
WEEVIL, cabbage seedpod, cuticular lipids, 580.
WHALE, sperm, oil, grignard degradation, GLC analysis of acetates of diacylglycerols, 205.
WOLMAN'S DISEASE, and cholesterol epoxide, 705.

XYZ

X-RAY, crystallography, sterol conformational analysis, 783.
X-RAY DIFFRACTION, steroid composition, struc-

X-RAY DIFFRACTION, steroid composition, structure, 793.
YEAST, mitochondrial membranes, sterol, phospholipid, protein content, 987.
YOLK, lipid extraction, 151.
ZOOXANTHELLAE, symbiotic, lipids, fatty acid

profile, 799.